





Lightweight and agile active wheelchair



The extra light active wheelchair



The tiltable active wheelchair



Mio (Design 2018)

Child active wheelchair

German aid index N° 18.99.02.1023



seat width **18-34 cm** (+2 cm)



back height **17,5-40 cm** (+5 cm)



seat depth **18-36 cm** (+4 cm)



weight capacity **50 kg**



wheel sizes 18"- 24"



caster sizes
4" und 5"











Overview

- active wheelchair for children
- for early support (from 12 months old)
- · innovative lightweight and compact design
- · easy handling
- maximum stability
- suitable as a seat for transport in a vehicle according to ISO 7176-19

Mio Carbon (Design 2018)

Small, agile light weight wheelchair



seat width **18-30 cm** (+2 cm)



back height 17,5-35 cm (+5 cm)



seat depth **18-30 cm** (+4 cm)



weight capacity **50 kg**



wheel sizes 20" - 24"



caster sizes
4" und 5"



Overview

- small, agile light weight wheelchair for children
- for early support (from 12 months old)
- seat plate, firm curved back plate, active side guards and foot plate made of ultra-light carbon
- screws and other parts made mostly from sturdy aluminum rather than steel



Mio Move

The tiltable active wheelchair

German aid index N° 18.99.02.1020



seat width **20-34 cm** (+2 cm)



back height **25-45 cm** (+5 cm)



seat depth **18-36 cm** (+4 cm)



weight capacity **50 kg**



wheel sizes **20"- 24**"



tilting angle
-5° to +35°



Overview

- tiltable wheelchair for children and adolescents
- for early support (from 12 months old)
- active wheelchair and rehab stroller function in one
- allows easy changes between active and passive phases
- suitable as a seat for transport in a vehicle according to ISO 7176-19





One name - three models

Family overview:

	Mio (Design 2018)	<i>Mio Carbon</i> (Design 2018)	Mio Move
seat width	18 - 34 cm	18 - 30 cm	20 - 34 cm
seat depth	18 - 36 cm	18 - 30 cm	18 - 36 cm
back height	18 - 34 cm	17,5 - 35 cm	24 - 45 cm
weight capacity	50 kg	50 kg	50 kg
wheel sizes	18", 20", 22", 24"	20", 22", 24"	20", 22", 24"
lower leg length	15 - 37 cm	15 - 30 cm	till max. 37 cm
grow in three dimensions (seat width, seat depth, seat height)	⊘	Ø	⊘
abduction (slight or strong)	⊘	⊘	⊘
two frame shapes	⊘	⊘	⊘
suitable as a seat for transport in a vehicle according to ISO 7176-19	⊘		⊘
tilting			✓

Equipment examples

All equipment options are on the order form of the corresponding wheelchair



outdoor front end



brake integrated into the clothing guard side parts



double hand rim



back unit without back tubes



two frame versions taurus and retro

Angl

mangh

more ...



leg support folds back



one hand push handles



double anti-tipper



therapy table

