

Airon

SPARE PARTS LIST



Dear customer,
in the following pages you will find a complete spare part list with all parts used to build our wheelchairs.

To ensure a accurate delivery of spare parts it is vital to provide the following information fro the identification label in addition to the Article-Number (Art.-No.).

To find the identification label on the chair please look up the following link for the exact location:

http://www.sorgrollstuhltechnik.de/fileadmin/user_upload/pdf/Download/Finding_identification_label.pdf

1. Serial number of the chair

The serial number enables us to identify the configuration of delivery of the specific chair in.

2. Seat width, seat depth and back height

The measures on the identification label are specified for the delivery configuration. If you changed any of these measures after delivery e.g. by growing the chair, please specify the actual new measures.

3. Lower leg length

We need the LLL to decide for the right version of several attachments which are connected to the LLL.

4. Frame colour

Please indicate the frame colour of the chair when ordering a powder coated spare part. Please note also if the finish alternative is shiny or matt.

5. Any other change after delivery (e.g. attachments)

We cannot know about changes after delivery. If you are not sure if such a change has any influence on the needed spare parts, please give us some details about it.

List of abbreviations

Pcs.	piece number
item no	item number to order specific spare part
Q/1	quantity per wheelchair/assembly group
SW	seat width
SD	seat depth
BH	back height
alt.	alternative
l/r	left/right

Handling annotations

Only items with item number are to order.

right / left are in relation to driving direction.

If you need further assistance, please contact us:

SORG Rollstuhltechnik GmbH & Co.KG

Benzstraße 3-5

68794 Oberhausen-Rheinhausen

Fon +49 7254 – 9279 0

Fax +49 7254 – 9279 10

info@sorgrollstuhltechnik.de

<https://www.sorgrollstuhltechnik.de>

Opening times:

Monday – Friday 8.00 am – 4.30 pm

Technical alterations and misprints excluded.

Prices on demand.

Contents

Frame

Frame	1
Tipping aid	3
Anti-tipper	4

Leg support

Connction bracket for leg rest hinged sideways	5
Foot stirrup	6
Leg support Standard, internal mounting	7
Leg support Standard, external mounting	8
Leg support, hinged sideways, external mounting	9
Leg support, hinged sideways, turnable outwards, external mounting	11
Heel cup	13

Seat

Seat plate	14
Seat cover	15
Seat cushion	16

Back

Seat cover	15
locking plate for angle adjustment	17
Back tube	18
Curved back plate	21
Back plate extension	23
Back cushion	24
Push handles, extendable	26
Push bar, extendable	28
Side truss pads	29
Head rest	31
Stabilizer bar at back tube	32
Stabilizer bar at push handle holder	33
Connection for back shell	34

Side part

Standard side panel	35
Arm rest standard side panel	37
Plug-in side panel	38

Caster wheel

Caster wheel adapter	40
Caster fork	41
Caster wheels	42

Contents

Rear wheel

Rear wheel mounting tube	43
Rear wheel mounting Standard	44
Rear wheel mounting Drum brake	45
Rear wheel mounting wheel base extension	47
Rear wheel mounting Handbike	48
Rear wheels	49
Double hand rin standard	50
Double hand rim Drum brake	52
Tyres	54
Hand rim	55
Hand rim cover	56
Spoke guard	57


Brakes

Knee lever brake	58
Brake lever extensions	59
Compact brake	60
Brake handle at Drum brake	61
Bowden cable brake control/non-control sides	62
Bowden cable brake pressure piece	63

Options

Caddy	64
2-Point Hip belt with Velcro and synthetic lock	65
2-Point Hip belt with Velcro and metal lock	66
4-Point Hip belt with Velcro and synthetic lock	67
4-Point Hip belt with Velcro and metal lock	68
Butterfly harness	69

Frame



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	59832002			598320000283
o.B.	1	59832001			598320000183
1	1	59832402			598324000283
o.B.	1	59832401			598324000183
1	1	59832802			598328000283
o.B.	1	59832801			598328000183
1	1	59832202			598322000283
o.B.	1	59832201			598322000183
1	1	59832602			598326000283
o.B.	1	59832601			598326000183
1	1	59833002			598330000283
o.B.	1	59833001			598330000183
4	1	59830502			59.83.12.05.02.83
o.B.	1	59830501			59.83.12.05.01.83
altern.	1	59830602			59.83.12.06.02.83
o.B.	1	59830601			59.83.12.06.01.83
altern.	1	59830702			59.83.12.07.02.83
o.B.	1	59830701			59.83.12.07.01.83
altern.	1	59830802			59.83.12.08.02.83
o.B.	1	59830801			59.83.12.08.01.83
5-9	1	59831100			59.83.11.00.01.83
6	4		lens head screw with hexagon socket ISO 7380 - M6x40		01.42.08.60.65.00
7	4		washer DIN 125 - A 6,4		02.61.06.41.41.20
9	4		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
8	4		saddle washer Ø12/6x2,5		35.04.16.01.00.10




Spare parts list Airon

Frame


o.B.	2	91040101		91.83.01.00.00.83
10-13	2	59752501	braking rail short incl. mounting set	59.75.25.01.00.00
o.B.	2	59752502	braking rail long incl. mounting set	59.75.25.02.00.00
o.B.	2	59752503		59.75.25.03.00.00
altern.	1	59833702		35.37.01.01.02.83
o.B.	1	59833701		35.37.01.01.01.83
11	2		lens head screw with hexagon socket ISO 7380 - M6x20	01.42.08.54.05.00
12	2		washer DIN 125 - A 6,4	02.61.06.41.41.20
13	2		hexagon cap nut low form with clamp DIN 986 - M6	02.33.00.60.11.20

Tipping aid




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	1	74090101			74.09.01.01.00.83
2	1				04.63.00.25.70.70
3-6	1				74.09.01.02.00.83
4	2		saddle washer Ø12/6x2,5		35.04.16.01.00.10
5	2		lock washer S6		02.99.10.60.01.10
6	2		lens head screw with hexagon socket ISO 7380 - M6x12		01.42.08.49.65.00

Anti-tipper





pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	72170002			
o.B.	1	72170001			
o.B.	1	72170004			
o.B.	1	72170003			
2	1	72150104	tipping lever black		72.15.01.04.00.74
3	1	72150101	holder anti-tipper for wheel ø50 mm, incl. mounting set		72.15.01.01.00.74
4	1	720004	wheel ø50, width 18, nob width 20, axle ø 6, PU grey		04.52.42.50.00.30
5	1	72170100			72.16.02.15.00.83
o.B.	1	72170200			72.16.02.16.00.83
o.B.	1	72170301			72.16.02.17.01.83
o.B.	1	72170302			72.16.02.17.02.83

Connction bracket for leg rest hinged sideways




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	1	40420210			
1	1				40.42.02.07.00.83
2	2	40420212			40.42.02.06.00.83
3	2		lens head screw with hexagon socket ISO 7380 - M5x25		01.42.07.96.65.00
4	2		hexagon cap nut low form with clamp DIN 986 - M5		02.33.00.60.21.20
5	2				01.24.08.52.02.61
6	2		lock washer S6		02.99.10.60.01.10

Foot stirrup




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	40420401			40.42.04.00.00.83
o.B.	1	40420402			40.42.05.00.00.83
o.B.	1	40420403			40.42.06.00.00.83
o.B.	1	40420404			40.42.07.00.00.83

Leg support Standard, internal mounting




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-13	1	40420300			
1	1	40391500	foot rest for continuous leg support standard		40.39.15.00.00.69
2-5	2	40390106	clamp profile 46,5x28x30, black anodized		40.39.01.06.00.69
3	2				40.42.03.04.00.83
4	2		counter sunk screw with hexagon socket DIN 7991 M6x35		01.65.08.59.05.00
5	2		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
6	2	40420303			40.42.03.03.00.83
7-9	2	40390101	positioning part 12x125x41,9		40.39.01.01.00.69
8	2		cylinder screw DIN 912 M6x25		01.22.08.56.02.40
9	2		lock washer S6		02.99.10.60.01.10
10	2	40420302			40.42.03.01.00.83
11-13	2	40420301			40.42.03.01.00.83
12	1		lens head screw with hexagon socket ISO 7380 - M6x25		01.42.08.56.65.00
13	1		lock washer S6		02.99.10.60.01.10

Leg support Standard, external mounting



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-5	1	40420110			
1	1	40391500	foot rest for continuous leg support standard		40.39.15.00.00.69
2	2	40390106	clamp profile 46,5x28x30, black anodized		40.39.01.06.00.69
3+4	2	40390699	mounting set for clamp profile		
3	2		counter sunk screw with hexagon socket DIN 7991 M6x30		01.65.08.58.02.40
4	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
5+6	2	40420111			40.42.01.01.00.83
altern.	2	40420112			40.42.01.02.00.83
6	1		plugs for tube ø20x1-2, black		04.63.10.20.00.10

Leg support, hinged sideways, external mounting




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-20	1	40420250			
1	1	40280100	continuous foot plate 8 mm		40.28.01.01.00.10
altern.	1	40360710			40.36.07.00.00.74
2-3	1	40360105	adjustment part left incl. raster piece		40.36.01.05.00.74
3	1	40360102	raster part for foot plate		40.36.01.02.00.74
4-9	1	40360299	mounting set adjustment piece		XXXXXXXXXXXX
4	2		counter sunk screw with hexagon socket DIN 7991 M6x16		01.65.08.52.02.40
5	3		washer reinforced Ø14/6,2x2		58.30.15.01.00.24
6	4		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
7	1		counter sunk screw with hexagon socket DIN 7991 M6x75/8		01.65.08.67.02.41
8	1		rosette ring Ø22/6x4,5, black		04.14.70.60.09.00
9	1		fitted washer DIN 988 - 6x12x0,5 - A2		02.68.06.00.50.30
10-11	1	40360106	adjustment part right incl. raster piece		40.36.01.06.00.74
11	1	40360101	locking piece		40.36.01.01.00.74
12-14	1	40360599	mounting set adjustment piece		XXXXXXXXXXXX
12	2		counter sunk screw with hexagon socket DIN 7991 M6x20		01.65.08.54.02.40
13	2		washer reinforced Ø14/6,2x2		58.30.15.01.00.24
14	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
15+17	1	40360111	joint D6 incl. plug		40.36.01.11.50.74
16+17	1	40360112	joint for latch incl. plug		40.36.01.12.50.74
altern.	1	40360110	joint incl. plug		40.36.01.10.50.74
17	1		plugs for tube Ø25x1-2, black		04.63.10.25.00.10
18-20	2	40420218			40.42.02.01.00.83



altern.	2	40420219		
19	1		cylinder screw DIN 912 M6x16	01.22.08.52.62.40
20	1		lock washer S6	02.99.10.60.01.10
21	1	690101	latch ø6/M10x1x31 with lock	04.14.43.60.02.00
10+16+ 21	1	400903		
22+17	1	40421001		40.42.10.01.00.83
23+17	1	40421002		40.42.10.02.00.83

Leg support, hinged sideways, turnable outwards, external mounting




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-20	1	40420251			
1	1	40280100	continuous foot plate 8 mm		40.28.01.01.00.10
altern.	1	40360710			40.36.07.00.00.74
2-4	1	40361020	adjustment unit divided incl. grid		40.36.10.30.00.74
3	2		lens head screw with hexagon socket ISO 7380 - M6x8		01.42.08.47.65.00
4	1	40360102	raster part for foot plate		40.36.01.02.00.74
5-8	1	40360299	mounting set adjustment piece		XXXXXXXXXXXX
5	2		counter sunk screw with hexagon socket DIN 7991 M6x16		01.65.08.52.02.40
6	2		washer reinforced Ø14/6,2x2		58.30.15.01.00.24
7	3		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
8	1		counter sunk screw with hexagon socket DIN 7991 M6x75/8		01.65.08.67.02.41
9-10	1	40360106	adjustment part right incl. raster piece		40.36.01.06.00.74
10	1	40360101	locking piece		40.36.01.01.00.74
11-13	1	40360599	mounting set adjustment piece		XXXXXXXXXXXX
11	2		counter sunk screw with hexagon socket DIN 7991 M6x20		01.65.08.54.02.40
12	2		washer reinforced Ø14/6,2x2		58.30.15.01.00.24
13	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
14+16	1	40360205	joint for divided leg support incl. plug		40.36.10.31.00.74
15+16	1	40360112	joint for latch incl. plug		40.36.01.12.50.74
altern.	1	40360110	joint incl. plug		40.36.01.10.50.74
16	1		plugs for tube Ø25x1-2, black		04.63.10.25.00.10
17+19-20	1	40420220			40.42.02.02.00.83




altern.	1	40420230	
18-20	1		40.42.02.01.00.83
19	1	cylinder screw DIN 912 M6x16	01.22.08.52.62.40
20	1	lock washer S6	02.99.10.60.01.10
21	1	690101 latch ø6/M10x1x31 with lock	04.14.43.60.02.00
9+15+2	1	400903	
1			
22	1	40421002	40.42.10.02.00.83
23	1	40421003	40.42.10.07.00.83

Heel cup




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	2	40551501			40.55.15.01.00.76
altern.	2	40551502			40.55.15.02.00.76
altern.	2	40551503			40.55.15.03.00.76
2	1		weld nut C- M5x7,5		02.49.33.03.00.10
3	1				01.04.07.88.02.40
4	1		lock washer S5		02.99.10.50.01.10
5	1		washer DIN 9021 -6,4		02.79.06.41.60.20
6	1				02.83.07.42.00.80
7-13	2	40201501			
altern.	2	40201502			
altern.	2	40201503			

Seat plate



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	19340200			19.34.02.00.00.83
2	1P	19340301			19.34.03.01.00.83
o.B.	1P	19340302			19.34.03.02.00.83
3-6	1	19340203			
3	8-12				19.34.01.03.00.83
4	2				01.24.08.52.02.61
5	6-10				01.43.07.92.02.61
6	2				01.42.07.86.05.00
7	1	19340015			19.34.01.04.00.83
o.B.	1	19340016			19.34.01.05.00.83

Seat cover




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	7-12	191303ST	seat straps		19.13.03.00.00.69
2-8	2	19340100			19.34.01.02.00.83
3	1P	19340301			19.34.03.01.00.83
o.B.	1P	19340302			19.34.03.02.00.83
4-8	1	19340103			
4	2-4				19.34.01.03.00.83
5	1				19.34.04.00.00.83
6	2				01.24.08.52.02.61
7	3-5				01.43.07.93.02.61
8	1				01.42.07.86.05.00

Seat cushion

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	1	891002	anatomical seat cushion		XXXXXXXXXXXXX
o.B.	1	891001			
o.B.	1	891003	cover for anatomical seat cushion		XXXXXXXXXXXXX
o.B.	1	891004	incontinence cover for anatomical seat cushion		XXXXXXXXXXXXX
o.B.	1	8003	seat cushion, synthetic foam, 3cm thick		XXXXXXXXXXXXX
o.B.	1	8005	seat cushion, synthetic foam, 5cm thick		XXXXXXXXXXXXX
o.B.	1	8103	seat cushion, memory foam, 3cm thick		XXXXXXXXXXXXX
o.B.	1	8105	seat cushion, memory foam, 5cm thick		XXXXXXXXXXXXX
o.B.	1	8603	incontinence protection for 3cm cushion (non refundable)		
o.B.	1	8605	incontinence protection for 5cm cushion (non refundable)		
o.B.	1	800050			


Farbe	XX
schwarz	30
grau	31
nachtblau	32
ultramarinblau	33
petrol	34
applegreen	35
bordeauxrot	36
rot	37
pink	38

locking plate for angle adjustment



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-8	1	61130501			61.13.05.10.01.83
o.B.	1	61130502			61.13.05.10.02.83
2+3	1				61.13.02.05.00.83
3	1				01.43.08.47.62.50
4+5	1				61.13.02.06.00.83
5	1				01.43.08.48.62.61
6	1		counter sunk screw with Torx ISO 14581 M6x20 vz, black		01.66.08.54.92.21
7+8	1				61.13.05.11.00.83
8	1				01.43.07.89.65.01

Back tube





pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	1	62370204	U-part 137 mm, right		61.09.05.01.02.00
o.B.	1	62370203	U-part 137 mm, left		61.09.05.01.01.00
2-6	2	62370298	mounting set U-part 137 mm		XXXXXXXXXXXX
2	1		lens head screw with hexagon socket M6x20		01.43.08.54.65.00
o.B.	1				02.68.10.00.50.30
o.B.	1				02.68.10.00.50.30
3	1				61.03.02.01.00.18
4	1		washer DIN 125 - A 10,5 - PA black		02.61.10.52.01.71
5	1		washer DIN 7349 - 6,4		02.77.06.53.00.20
6	1		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
7+8	2	610109	locking bolt incl. mounting set (spring and ring)		61.01.02.04.00.24
o.B.	1		pressure spring DIN 2098 0,7x7,65/9,05x21		04.21.00.80.21.00
8	1				04.29.04.47.00.00
9-11	2	62330099	mounting set back tube		XXXXXXXXXXXX
9	2		lens head screw with hexagon socket ISO 7380 - M6x35		01.42.08.59.65.00
10	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
11	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
12+13	1	61130601			61.13.06.01.00.83
13	1				04.44.21.00.00.20
14+15	2	623302XX			62.33.08.01.00.00
o.B.	2	623304XX			62.33.02.02.00.00
15	1				04.63.10.20.01.10
16	2	623303XX			62.33.08.03.00.00



o.B.	2	623305XX	62.33.03.02.00.00
18	2	623403XX	62.33.08.02.00.00
o.B.	2	623404XX	62.33.03.03.00.00
20	2	65090101	65.09.01.00.00.83
o.B.	2	65090102	65.09.01.03.00.83


Seat cover





Farbe	XX
schwarz	30
grau	31
nachtblau	32
ultramarinblau	33
petrol	34
applegreen	35
bordeauxrot	36
rot	37
pink	38

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1+2	1	670103XX			XX.XX.XX.XX.XX
2	1	670599	back cover with cushion 2 cm		XX.XX.XX.XX.XX
o.B.	2		counter sunk screw with hexogon socket DIN 7991 M5x16		01.65.07.92.05.00
o.B.	2		rosette ø13/6x2, black		04.14.70.60.02.00

Curved back plate




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	6950XX			69.50.XX.00.00.00
o.B.	1	6953XX			69.53.XX.00.00.00
o.B.	1	6954XX			69.54.XX.00.00.00
2	1	450030	edge protection-steel clamp band, 1-2 mm black		00.45.07.10.99.10
3	4				01.42.07.95.65.00
4-12	2	692598	mounting set curved back plate		XXXXXXXXXXXX
4-12	2	692593			XXXXXXXXXXXX
5-11	2	692599			
4	1	692510	screwed on holding plate		69.25.05.01.00.69
5	1		hexagon screw DIN 933 - M5x25		01.04.07.96.02.40
6	1		hexagon screw DIN 933 - M5x16		01.04.07.92.02.40
7	1		lock washer S5		02.99.10.50.01.10
8	1				40.04.16.01.00.10
9	1		round-head screw DIN 6003 M5x12		01.11.07.89.00.40
10	1		washer DIN 7349 - 5,3		02.77.05.22.00.20
11	1		hexagon cap nut low form with clamp DIN 986 - M5		02.33.00.60.21.20
12	2		Velcro strap 25 mm		00.42.61.02.50.11



Back plate extension

Curved back plate model version 1: only from BH 35cm

Curved back plate model version 3: only from BH 35cm, only with BH+5cm



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	686092			68.60.02.00.00.00
2-6	1	68607299	mounting set back extension		XXXXXXXXXXXX
2	1		lens head screw with hexagon socket M5x8		01.43.07.87.62.60
3	3		washer DIN 9021- 6,4- PA		02.79.06.41.60.70
4	1		weld nut C- M5x7,5		02.49.33.03.00.10
5	2		round-head screw DIN 6003 M6x20		01.11.08.54.00.40
	2		7-star knob ø32 - M6 internal thread continuous, black		04.05.37.64.20.30



Back cushion

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	1	8517	back cushion 3cm with zipper		XXXXXXXXXXXXX
o.B.	1	851750			
o.B.	1	891104	anatomical back (3cm) incl. changeable cover		
o.B.	1	891106	anatomical back (5cm) incl. changeable cover		
o.B.	1	891150			
o.B.	1	68607201	head rest pad incl. cover for back extension		

Farbe	XX
schwarz	30
grau	31
nachtblau	32
ultramarinblau	33
petrol	34
applegreen	35
bordeauxrot	36
rot	37
pink	38


This exploded view diagram illustrates the assembly of a prosthetic arm. The components are numbered as follows:

- 1**: Main shaft of the arm.
- 2**: Upper section of the shaft.
- 3**: Lower section of the shaft.
- 4**: End section of the shaft.
- 5**: A small component at the bottom of the shaft.
- 6**: A curved component at the top of the shaft.
- 10**: A rectangular base plate.
- 11**: A small screw or pin.
- 12**: A small screw or pin.
- 13**: A curved component at the bottom of the shaft.
- 14**: A small screw or pin.
- 15**: A rectangular base plate.
- 16**: A small screw or pin.
- 17**: A small screw or pin.
- 18**: A small screw or pin.



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1+5+6	1	650632	push handle 25 cm, cranked, extendable, right complete		65.06.30.01.06.28
o.B.	1	650631	push handle 25 cm, cranked, extendable, left complete		65.06.30.01.05.28
altern.	1	650554			65.05.50.02.02.00
o.B.	1	650553			65.05.50.02.01.00
o.B.	2	650230	push handle 25 cm, straight, extendable, complete		65.02.30.01.00.10
o.B.	2	650250			65.02.50.02.00.00
2+5+6	1	650552			65.05.50.01.02.00
o.B.	1	650551			65.05.50.01.01.00
o.B.	1	650532	push handle 15 cm, cranked, extendable, right complete		65.05.30.01.06.28
o.B.	1	650531	push handle 15 cm, cranked, extendable, left complete		65.05.30.01.05.28
3+5+6	2	650130	push handle 15 cm, extendable straight, complete		65.01.30.01.00.10
4-6	2	650251			65.02.50.01.00.00
5	2	650160	locking unit for push handles		65.01.30.03.00.10
6	2	04635020001 0	clamp conductor black, ø 18-20		04.63.50.20.00.10
10-14	2	650051	push handle clamp holder 38x42x58, incl. eccentric clamp and mounting set		65.00.51.01.00.10
11	2		cylinder screw DIN 912 M5x25		01.22.07.96.62.40
12	2		spring ring DIN 127 - A 5		02.85.30.50.05.10
13	1	652225			04.13.40.60.35.10
14	1		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
15- 18+13	1	650055			
15- 18+13- 14	2	650053	S-handle clamp holder 45", on stabilizer bar		65.14.02.01.00.10
16	2		hexagon screw DIN 933 - M6x16		01.04.08.52.02.40
17	2		lock washer S6		02.99.10.60.01.10
18	2		washer DIN 125 - A 6,4		02.61.06.41.41.20

Push bar, extendable






Spare parts list Airon

Back

Page 28 of 69


pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-18	1	6532	push bail extendable by 20 cm, 307° angle adjustment metal joint, complete		XXXXXXXXXXXX
1a+2a+ 3-4	1	653001	push bail 90° pre-assembled for SW 40 – 46 when push handle clamp holder is mounted to the back tube		XXXXXXXXXXXX
1b+2b+ 3-4	1	653002	push bail cropped pre-assembled		XX.XX.XX.XX.XX.XX
1a	1	653009	push bail, bend part- 20x150x150, left		65.34.00.02.01.66
1b	1	653006	push bail left part		65.30.01.02.01.47
2a	1	653010	push bail, bend part- 20x150x150, right		65.34.00.02.02.66
2b	1	653007	push bail right part		65.30.01.02.02.47
3	1	653004	steel tube incl. riveting		65.30.01.04.00.24
4	2	653005	tube cover - rubber 260 mm		65.30.03.01.00.47
5-6	4	653406	plug for nut M6 incl hexagon nut		65.22.20.10.00.00
6	4		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
7-10	2	652220	angle adjusting element metal 307° compl with eccentric clamp and mounting set		65.22.20.99.00.10
8	1	652224	eccentric clamp length 35 mm M6x20, black (incl. spring, nut, washer, bush)		65.22.24.99.00.76
9	2		lens head screw with hexagon socket ISO 7380 - M6x25		01.42.08.56.65.00
10	2		spring ring DIN 127- A6		02.85.30.60.05.10
11-13	2	653202	profile tube support 200		65.31.02.01.00.24
12	2	04635020001 0	clamp conductor black, ø 18-20		04.63.50.20.00.10
13	2	650160	locking unit for push handles		65.01.30.03.00.10
14-18	2	650061	push bail holder R10		65.00.51.02.00.10
o.B.	2	650065			65.00.56.05.00.77
o.B.	2	650063	push bail clamp holder 45° on stabilizer rod		65.14.02.02.00.10
15	1	652225			04.13.40.60.35.10
16	2		cylinder screw DIN 912 M5x25		01.22.07.96.62.40
17	2		spring ring DIN 127 - A 5		02.85.30.50.05.10
18	1		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20

Side truss pads






pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	68590102			68.59.01.00.02.00
o.B.	1	68590101			68.59.01.00.01.00
altern.	1	68590202			68.59.02.00.02.00
o.B.	1	68590201			68.59.02.00.01.00
2-5	1	68590113			68.59.01.25.00.00
o.B.	1	68590114			68.59.02.25.00.00
3	2		counter sunk screw with hexagon socket DIN 7991 M5x20		01.65.07.94.05.00
4	1				35.33.01.10.00.73
5	2		cylinder screw DIN 912 M5x12		01.22.07.89.72.40
o.B.	2		cylinder screw DIN 912 M6x12		01.22.08.49.62.40
6-8	1	68590104			68.59.01.21.00.00
o.B.	1	68590105			68.59.01.22.00.00
o.B.		68590106			68.59.01.26.00.00
o.B.	1	68590204			68.59.01.23.00.00
o.B.	1	68590205			68.59.01.24.00.00
7	2		lens head screw with hexagon socket ISO 7380 - M5x16		01.42.07.92.65.00
o.B.	2		lens head screw with hexagon socket ISO 7380 - M6x16		01.42.08.52.65.00
8	2		lock washer S5		02.99.10.50.01.10
o.B.	2		lock washer S6		02.99.10.60.01.10
9	1	68590103			68.59.01.15.00.00
o.B.	1	68590203			68.59.02.15.00.00


Head rest



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	686031	head rest cushion model 1, 213x145 mm shell form complete		68.60.15.99.00.10
altern.	1	686033	head rest model 3, 225x100 curved complete		68.60.16.99.00.10
altern.	1	686034	head rest model 4, 300x150 curved complete		68.60.19.99.00.10
o.B.	1	68605001			
2-4	1	68600801			68.60.08.99.01.00
3	2		plugs for square tubes, black 15x15		04.63.11.15.00.10
4	1	403110	clamp lever adjustable M6x20, black		04.13.10.60.20.50
5-9	1	68600810			68.60.01.01.00.00
6	1	45320303			04.13.10.60.16.50
7	1				68.63.01.03.00.00
8	2				01.24.08.53.05.00
9	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20

Modell 1	Modell 3	Modell 4
 Nr. 21	 Nr. 23	 Nr. 24
muschelförmig	bogenförmig - klein	bogenförmig - groß


Stabilizer bar at back tube



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-9	1	64090301			
o.B.	1	64090401			
1-5	2	64090101			64.09.01.01.00.00
o.B.	2	64090106			64.09.01.06.00.00
2	1	640102	half shell 30, R10, 20x8,5x30, 2xø5,2/18		64.01.02.03.00.29
3	2		cylinder screw DIN 912 M5x20		01.22.07.94.72.40
4	2		lock washer S5		02.99.10.50.01.10
5	2		washer DIN 125 - A 5,3		02.61.05.31.01.20
6-9	1	64090110			64.09.01.07.00.00
o.B.	1				64.09.01.08.00.00
7	2		lens head screw with hexagon socket M6x25		01.43.08.56.65.00
8	2		fitted washer DIN 988 - 6x12x0,5 - A2		02.68.06.00.50.30
9	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20

SB	L Stabilisierungsrohr
28	135
30	155
32	175
34	195
36	215
38	235
40	255
42	275
44	295
46	315
48	335
50	355


Stabilizer bar at push handle holder



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-5	1	64090302			
1	2	64090103			64.09.01.03.00.00
2-5	1	64090110			64.09.01.07.00.00
3	2		lens head screw with hexagon socket M6x25		01.43.08.56.65.00
4	2		fitted washer DIN 988 - 6x12x0,5 - A2		02.68.06.00.50.30
5	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20


SB	L Stabilisierungsrohr
28	135
30	155
32	175
34	195
36	215
38	235
40	255
42	275
44	295
46	315
48	335
50	355

Connection for back shell



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	1/2				
1	2				68.63.01.03.00.00
2	2				01.24.08.58.05.00
3	2		fitted washer DIN 988 - 6x12x0,5 - A2		02.68.06.00.50.30
4	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
5	1				69.80.04.01.00.80
6	2	35310209			45.31.01.03.00.72

Standard side panel



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1+3-13	1	45252202	side guard 20" /22" right		45.25.01.01.02.74
o.B.	1	45252201	side guard 20"/ 22" left		45.25.01.01.01.74
altern.	1	45252402	side guard 24" right		45.25.01.02.02.74
o.B.	1	45252401	side guard 24" left		45.25.01.02.01.74
2	1	452522	insulation pad 20"/24"		45.25.01.20.00.74
o.B.	1	452524	insulation pad 24"		45.25.01.24.00.74
3	2		counter sunk screw with hexagon socket DIN 7991 M5x16		01.65.07.92.05.00
4	2		washer DIN 7349 - 6,4		02.77.06.53.00.20
5	2		washer DIN 9021 - M5		02.79.05.31.20.20
6	2		hexagon nut self-locking low form DIN 985 - M5		02.32.00.50.01.20
7			lens head screw with hexagon socket ISO 7380 - M6x50		01.42.08.62.65.00
o.B.	1		lens head screw with hexagon socket ISO 7380 - M6x30		01.42.08.58.65.00
8	1		washer DIN 125 - A 6,4		02.61.06.41.41.20
9	1	45250111			45.25.01.11.00.74
10	1		saddle washer black ø 24/6		04.63.39.24.06.30
11	1		saddle washer ø12/6x2,5		35.04.16.01.00.10
12	1		washer DIN 125 - A 6,4		02.61.06.41.41.20
13	1		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
14	1	50240102	skirtguard 22" standard, right		50.24.01.01.02.74
o. B.	1	50240101	skirtguard 22" standard, left		50.24.01.01.01.74
altern.	1	50240202	skirtguard 24" standard, right		50.24.01.02.02.74
o.B	1	50240201	skirtguard 24" standard, left		50.24.01.02.01.74
altern.	1	50240302	skirtguard 22" for arm rest, right		50.24.01.03.02.74




Spare parts list Airon

Side part


o. B.	1	50240301	skirtguard 22" for arm rest, left	50.24.01.03.01.74
altern.	1	50240402	skirtguard 24" for arm rest, right	50.24.01.04.02.74
o.B.	1	50240401	skirtguard 24" for arm rest, left	50.24.01.04.01.74
altern.	1	50240502	skirtguard 22" for cable brake, right	50.24.01.05.02.74
o. B.	1	50240501	skirtguard 22" for cable brake, left	50.24.01.05.01.74
altern.	1	50240602	skirtguard 24" cable brake, right	50.24.01.06.02.74
o.B.	1	50240601	skirtguard 24" for cable brake, left	50.24.01.06.01.74
altern.	1	50240702	skirtguard 22" cable brake/arm rest, right	50.24.01.07.02.74
o. B.	1	50240701	skirtguard 22" cable brake/arm rest, left	50.24.01.07.01.74
altern.	1	50240802	skirtguard 24" cable brake/arm rest, right	50.24.01.08.02.74
o.B.	1	50240801	skirtguard 24" cable brake/arm rest, left	50.24.01.08.01.74
15-23	2	502499	mounting set skirt guard	XXXXXXXXXXXX
15	3			01.66.07.89.95.00
16	2		washer DIN 125 - A 5,3	02.61.05.31.01.20
17	2		low hexagon nut DIN 439 - M5 - 05 vz	02.03.00.50.07.20
18	1	50240115		50.24.01.15.00.74
o.B.	1		Velcro strap 20 mm, black	00.42.60.02.50.10
19	1		low hexagon nut DIN 439 - M5 - 05 vz	02.03.00.50.07.20
o.B.	1	45111399		45.11.13.99.00.83
o.B.	2			01.42.08.64.65.00
o.B.	2			01.42.08.00.65.00
o.B.	4		counter sunk screw with hexogon socket DIN 7991 M5x25	01.65.07.96.05.00
o.B.	4			45.25.01.10.00.74
o.B.	2	35310209		45.31.01.03.00.72

Arm rest standard side panel



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-10	1 P	452600	arm pad for standard side guard, complete		XXXXXXXXXXXX
1	2	450007	arm rest, straight black 240x50x26, 2xM5x164		04.65.01.24.00.10
2-3	1P	452603	holder for arm pad incl 3		45.26.05.00.00.74
3	2		plugs for tube ø20x1-2, black		04.63.10.20.00.10
4-10	2	452699	mounting set arm pad		XXXXXXXXXXXX
4	2		lens head screw with hexagon socket ISO 7380 - M5x35		01.42.07.99.65.00
5	2		lock washer S5		02.99.10.50.01.10
6	2				40.04.16.01.00.10
7	1				01.65.07.87.05.01
8	1		counter sunk screw with hexagon socket DIN 7991 M5x12		01.65.07.89.05.00
o.B.	1		counter sunk screw with hexagon socket DIN 7991 M5x14		01.65.07.90.05.00
9	2				45.25.01.13.00.74
10	1				45.25.01.12.00.74

Plug-in side panel



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-7	2	45410401			45.41.04.00.00.83
2	2				01.22.07.36.62.40
3	2				01.65.08.64.02.40
4	1		counter sunk screw with hexagon socket DIN 7991 M6x45 / 9+1 - 8.8 vz		01.65.08.61.02.41
5	3		saddle washer Ø12/6x2,5		35.04.16.01.00.10
6	3		washer DIN 125 - A 6,4		02.61.06.41.41.20
7	3		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
8-11	2	45411001			45.41.10.00.00.83
9	2				04.63.13.25.12.10
10	1				45.41.11.00.00.83
11	1				01.65.08.50.02.41
12-14	1	45412202			45.41.22.01.02.83
o.B.	1	45412201			45.41.22.01.01.83
altern.	1	45412402			45.41.24.01.02.83
o.B.	1	45412401			45.41.24.01.01.83
13	2				45.41.11.00.00.83
14	2		counter sunk screw with hexagon socket DIN 7991 M6x16		01.65.08.52.02.40
15	1	45410100			45.41.01.22.02.83
altern.	1	45410200			45.41.01.24.02.83
16	1	50240102	skirtguard 22" standard, right		50.24.01.01.02.74
o. B.	1	50240101	skirtguard 22" standard, left		50.24.01.01.01.74
altern.	1	50240202	skirtguard 24" standard, right		50.24.01.02.02.74



Spare parts list Airon

Side part

o.B	1	50240201	skirtguard 24" standard, left	50.24.01.02.01.74
altern.		50240902		50.20.01.01.02.83
o.B.		50240901		50.20.01.01.01.83
altern.		50241002		50.20.01.02.02.83
o.B.		50241001		50.20.01.02.01.83
17-22	2	502499	mounting set skirt guard	XXXXXXXXXXXX
17	1		lens head screw with hexagon socket ISO 7380 - M5x16	01.42.07.92.65.00
18	1	50240115		50.24.01.15.00.74
19	1		low hexagon nut DIN 439 - M5 - 05 vz	02.03.00.50.07.20
20	3			01.66.07.89.95.00
21	3			02.68.05.00.50.30
22	3		hexagon nut self-locking low form DIN 985 - M5	02.32.00.50.01.20
23+24+9	2	45410701		45.41.07.00.00.83
24	2		plugs for tube ø20x1-2, black	04.63.10.20.00.10
25-27	2	450007	arm rest, straight black 240x50x26, 2xM5x164	04.65.01.24.00.10
26	2		lens head screw with hexagon socket ISO 7380 - M5x30	01.42.07.98.65.00
27	2		lock washer S5	02.99.10.50.01.10
28ff	1	50201000		45.11.12.99.00.83
28	2			45.11.12.00.00.83
o.B.	2			01.65.08.66.02.10
o.B.	1			01.65.08.63.02.40


This exploded view diagram illustrates the assembly of a mechanical device. The main body (1) is a curved, cylindrical component. Key sub-assemblies and parts include:

- Top Assembly:** Consists of a cap (2) secured by a screw (3). A pin (5) and a small cylindrical component (4) are also shown in this area.
- Internal Mechanism:** A complex internal assembly (10) is shown, featuring a central shaft (11) with a gear or impeller (13) and a base (14). This assembly is surrounded by a housing (12).
- Bottom Assembly:** Includes a large cylindrical component (8) and a smaller cylindrical component (9).
- Fasteners and Seals:** Various screws (15, 16), washers (6, 7), and seals (12) are shown as separate components.

Dashed lines indicate the alignment and assembly sequence of the parts.

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-7	2	28061001			28.06.01.09.00.83
o.B.	2	28061002			28.06.01.02.00.83
o.B.	2	28061003			28.06.01.03.00.83
o.B.	2	28061004			28.06.01.04.00.83
2	2				01.22.08.52.02.61
3	2		lock washer S6		02.99.10.60.01.10
4	2				01.67.08.52.05.01
5	1				01.42.08.00.65.00
6	1		washer DIN 125 - A 5,3		02.61.05.31.01.20
7	1		hexagon nut self-locking low form DIN 985 - M5		02.32.00.50.01.20
8-10	2	28060109			59.83.10.01.00.83
9	1				59.83.10.02.00.83
10	1				01.67.10.88.05.01
o.B.	2	28060101			28.06.01.01.01.83
11-14	2	28060102			28.06.01.01.02.83
12	2		grooved ball bearing ø24/12x6		04.32.12.06.00.10
13	1	280504	damper element		28.05.01.04.00.00
14	1	28060106			28.06.01.06.00.83
15+16	1	28060108			28.06.01.05.02.83
o.B.	1	28060107			28.06.01.05.01.83
16	1				01.65.09.73.02.40

Caster fork




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	2	2841	caster fork aluminum 164x45		28.41.01.00.00.10
o.B.	2	2842	caster fork aluminum 126x45		28.42.01.00.00.10
o.B.	2	2843	caster fork aluminum 100x45		28.43.01.00.00.10
2	2	282104	steering axle $\varnothing 12 \times 65$, 1		28.21.05.01.00.10
4-7	2	282128			
4	3		washer DIN 1440 -10x20x2,5		02.71.10.02.50.20
5	1		hexagon nut self-locking low form DIN 985 - M10		02.32.01.00.01.20
6	1		fitted washer DIN 988 - 12x18x0,5		02.68.12.00.50.30
7	1				01.43.08.48.62.61



Caster wheels


pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	2	2805	caster 5" PU		04.52.42.05.00.30
o.B.	2	2834	caster 5" PU, transparent with LED		04.52.45.05.00.40
o.B.	2	2836	caster 5" solid rubber black with aluminum rim		04.52.41.05.00.61
o.B.	2	2803	caster 6" PU		04.52.42.06.00.30
o.B.	2	2808	caster 6" pneumatic wheels		04.52.43.06.00.11
o.B.	2	2838			04.52.41.06.00.70
o.B.	2	289998			

Rear wheel mounting tube




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-7	2	20158301			20.15.83.01.00.83
altern.	2	20158302			20.15.83.02.00.83
2	1	20158305			04.63.10.30.00.10
3	1				01.24.09.79.62.40
4	1		lock washer S8		02.99.10.80.01.10
5	1		hexagon nut self-locking low form DIN 985 - M8		02.32.00.80.01.20
6	1	20158306			20.15.83.10.00.83
7	1				01.43.07.89.65.01

Rear wheel mounting Standard



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	2	20158320			20.15.83.03.00.83
2	2	20151301			20.15.83.13.02.83
o.B.	2	20151302			20.15.83.13.08.83
o.B.	2	20151303			20.15.83.13.12.83
3	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
4	3		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
5	1		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
6	1		lock washer S6		02.99.10.60.01.10
7	1	20150600			20.15.83.06.00.83
8-10	2	20152791			20.15.83.27.01.83
o.B.	2	20152793			20.15.83.27.02.83
o.B.	2	20152795			20.15.83.27.03.83
o.B.	2	20152797			20.15.83.27.04.83
9	1				01.24.07.26.02.51
10	1		washer DIN 125 - A 4,3		02.61.04.30.91.20

Rear wheel mounting Drum brake



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	2	20158320			20.15.83.03.00.83
2	2	20151311			20.15.83.13.04.83
o.B.	2	20151312			20.15.83.13.10.83
o.B.	2	20151313			20.15.83.13.14.83
3	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
4	2		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
5	1		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
6	1		lock washer S6		02.99.10.60.01.10
7	1	20150600			20.15.83.06.00.83
8-10	2	20152891			20.15.83.28.01.83
o.B.	2	20152893			20.15.83.28.02.83
o.B.	2	20152895			20.15.83.28.03.83
o.B.	2	20152897			20.15.83.28.04.83
9	1				01.24.07.26.02.51
10	1		washer DIN 125 - A 4,3		02.61.04.30.91.20
11-21	2	220012	holder other side drum brake		
11	2				22.00.83.01.00.83
12	4		fitted washer DIN 988 - 6x12x0,5 - A2		02.68.06.00.50.30
13-18	2	22008301			22.00.83.04.01.83
o.B.	2	22008303			22.00.83.04.03.83
o.B.	2	22008305			22.00.83.04.05.83
o.B.	2	22008307			22.00.83.04.07.83
14	1		lens head screw with hexagon socket ISO 7380 - M6x30		01.42.08.58.65.00




Spare parts list Airon

Rear wheel


15	1		02.93.06.02.20.00
16	1		02.94.06.03.00.00
17	1	washer DIN 125 - A 6,4	02.61.06.41.41.20
18	1	hexagon cap nut low form with clamp DIN 986 - M6	02.33.00.60.11.20
19	2		
20	2	nut M16x1 SW 24	02.19.01.60.11.21
21	1	lock washer M16 (Nord-Lock)	02.99.21.70.01.10

Rear wheel mounting wheel base extension




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	2	76830101			76.83.01.01.00.83
2	2	20151301			20.15.83.13.02.83
3	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
4	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
5	1		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
6	1		lock washer S6		02.99.10.60.01.10
7	1	20150600			20.15.83.06.00.83
8-10	2	20152791			20.15.83.27.01.83
altern.	2	20152793			20.15.83.27.02.83
altern.	2	20152795			20.15.83.27.03.83
altern.	2	20152797			20.15.83.27.04.83
altern.	2	20152891			20.15.83.28.01.83
altern.	2	20152893			20.15.83.28.02.83
altern.	2	20152895			20.15.83.28.03.83
altern.	2	20152897			20.15.83.28.04.83
9	1		cylinder screw DIN 912 M4x6		01.22.07.26.62.40
10	1		washer DIN 125 - A 4,3		02.61.04.30.91.20

Rear wheel mounting Handbike




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-7	2	20158330			20.15.83.11.00.83
2	2	20151301			20.15.83.13.02.83
3	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
4	2		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
5	1		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
6	1		lock washer S6		02.99.10.60.01.10
7	1				04.13.40.60.20.60
8	2	20150600			20.15.83.06.00.83
9-11	2	20152791			20.15.83.27.01.83
altern.	2	20152793			20.15.83.27.02.83
altern.	2	20152795			20.15.83.27.03.83
altern.	2	20152797			20.15.83.27.04.83
10	1				01.24.07.26.02.51
11	1		washer DIN 125 - A 4,3		02.61.04.30.91.20
12	2	20152791			20.15.83.27.01.83
altern.	2	20152793			20.15.83.27.02.83
altern.	2	20152795			20.15.83.27.03.83
altern.	2	20152797			20.15.83.27.04.83
13+14	1	20158331			20.15.83.12.00.83
14	2				01.24.07.26.02.51

Rear wheels



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	2	212240	22" profile wheel with built-in hand rim, standard hub		
o.B.	2	212440	24" profile wheel with built-in hand rim, standard hub		
o.B.	2	222240	22" profile wheel with built-in hand rim with drum brake		
o.B.	2	222440	24" profile wheel with built-in hand rim with drum brake		
o.B.	2	212277	22" lightweight wheel with hand rim, standard		
o.B.	2	212477	24" lightweight wheel with hand rim, standard		
o.B.	2	212281	22" lightweight wheel with drum brake, black		
o.B.	2	212481	24" lightweight wheel with drum brake, black		
1	2	210003	quick-release axle 12,7x103 mm for standard hub from 5/2013 and light weight wheel		04.51.51.21.00.31
o.B.	2	220001	quick-release axle D12x123mm for drum brake		04.51.51.21.20.30
o.B.	4	200011	groove ball bearing $\varnothing 28/12$ 6001z		04.32.12.08.00.10

Double hand rin standard



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-8	2	26140100			20.15.83.15.00.83
2	2	20151301			20.15.83.13.02.83
altern.	2	20151311			20.15.83.13.04.83
3	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
4	2		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
5	2		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
6	2		lock washer S6		02.99.10.60.01.10
7	1				01.67.07.86.05.00
8	1				01.43.07.89.65.01
9+10	1	20150601			20.15.83.06.00.83
10	2				20.15.83.17.00.83
11	2	20152901			20.15.83.18.01.83
altern.	2	20152903			20.15.83.18.03.83
12-14	2	26140101			20.15.83.20.00.83
13	1				04.14.34.50.01.00
14	1		hexagon nut M18x1		02.19.01.30.11.21
15	1	26140003			26.14.10.01.03.00
o.B.	1	26140004			26.14.10.01.04.00
o.B.	1	26140005			26.14.10.01.05.00
o.B.	1	26140006			26.14.10.01.06.00
o.B.	1	26140007			26.14.10.01.07.00
o.B.	1	261442	22" double handrim driving wheel standard hub, driving side		XXXXXXXXXXXX
o.B.	1	261444	24" double handrim driving wheel standard hub, driving side		XXXXXXXXXXXX




Spare parts list Airon

Rear wheel

o.B.	1	261443	22" double handrim driving wheel standard hub, opposite side	XXXXXXXXXXXX
o.B.	1	261445	24" double handrim driving wheel standard hub, opposite side	XXXXXXXXXXXX
o.B.	1	261431	hand rim for other side 22"	XXXXXXXXXXXX
o.B.	1	261432	hand rim for other side 24"	XXXXXXXXXXXX

Double hand rim Drum brake



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-9	2	26140100			20.15.83.15.00.83
2	2	20151311			20.15.83.13.04.83
o.B.	2	20151323			20.15.83.13.06.83
3	3				02.68.08.01.00.30
4	4		washer DIN 125 - A 6,4		02.61.06.41.41.20
5	5		hexagon cap nut low form with clamp DIN 986 - M6		02.33.00.60.11.20
6	2		cylinder screw DIN 912 M6x20		01.22.08.54.62.40
7	3		lock washer S6		02.99.10.60.01.10
8	1				01.67.07.86.05.00
9	1				01.43.07.89.65.01
10-11	1	20150601			20.15.83.06.00.83
11	2				20.15.83.17.00.83
12	2	20152903			20.15.83.18.03.83
altern.	2	20152905			20.15.83.18.05.83
13-17	2	220017			
15	1		hexagon nut M18x1		02.19.01.30.11.21
16	1				04.14.34.50.01.00
17	2				22.00.83.03.00.83
18-22	2	22008303			22.00.83.04.03.83
altern.	2	22008305			22.00.83.04.05.83
19	1				01.24.08.52.02.61
20	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
21	2		washer DIN 7349 - 6,4		02.77.06.53.00.20



Spare parts list Airon

Rear wheel

22	1	hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
23	1	26140003		26.14.10.01.03.00
o.B.	1	26140004		26.14.10.01.04.00
o.B.	1	26140005		26.14.10.01.05.00
o.B.	1	26140006		26.14.10.01.06.00
o.B.	1	26140007		26.14.10.01.07.00
o.B.	1	261452	22" double handrim driving wheel drum brake hub, driving side	XXXXXXXXXXXX
o.B.	1	261454	24" double handrim driving wheel drum brake hub, driving side	XXXXXXXXXXXX
o.B.	1	261453	22" double handrim driving wheel drum brake hub, opposite side	XXXXXXXXXXXX
o.B.	1	261455	24" double handrim driving wheel drum brake hub, opposite side	XXXXXXXXXXXX
o.B.	1	261431	hand rim for other side 22"	XXXXXXXXXXXX
o.B.	1	261432	hand rim for other side 24"	XXXXXXXXXXXX



Tyres

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	2	202216			
o.B.	2	202416			
o.B.	2	202212	tire for pneumatic tube 22x1" Marathon plus, black		
o.B.	2	202412	tire for pneumatic tube 24x1" Marathon plus, black		04.61.12.41.20.21
o.B.	2	200522	tube 22"		
o.B.	2	200524	tube 24"		
o.B.	2	232213			
o.B.	2	232413			
o.B.	2	232215			
o.B.	2	232415			



Hand rim


pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	2	302201	handrim 22" standard, stainless steel polished		
o.B.	2	302301	handrim 22" high, stainless steel polished		
o.B.	2	302401	handrim 24" standard, stainless steel polished		
o.B.	2	302501	handrim 24" high, stainless steel polished		
o.B.	2	302275			
o.B.	2	302375			
o.B.	2	302475			
o.B.	2	302575			
o.B.	2	302278			
o.B.	2	302478			
o.B.	2	3322	hand rim aluminium, 22", black, pvc coating		
o.B.	2	3324	hand rim aluminium, 24", black, pvc coating		
o.B.	2	3422	Maxgrepp-handrim 22", 4 loops complete		
o.B.	2	342201			
o.B.	2	342401			
o.B.	2	34152204			
o.B.	2	34152206			
o.B.	2	34152406			
o.B.	2	342424			



Hand rim cover

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
o.B.	2	322002	handrim cover silicone black ø442		04.67.06.20.00.40
o.B.	2	322202	handrim cover silicone black ø478		04.67.06.22.00.30
o.B.	2	322205	handrim cover silicone black ø453		04.67.06.22.00.20
o.B.	2	322208	handrim cover silicone black ø388		04.67.06.22.00.10
o.B.	2	322402	handrim cover silicone black ø532		04.67.06.24.00.30
o.B.	2	322404	handrim cover silicone black ø504		04.67.06.24.00.10
o.B.	2	322405	handrim cover silicone black ø514		04.67.06.24.00.20
o.B.	2	322603	handrim cover silicone black ø565		04.67.06.24.00.40
o.B.	2	322201	handrim cover profile wheel, Ergo 22"		
o.B.	2	322401	handrim cover profile wheel, Ergo 24"		

Spoke guard




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	250001	clip for transparent spoke cover		25.00.99.01.00.10
o.B.	2	252200	spoke cover 22", Unicolor transparent		
o.B.	2	252400	spoke cover 24", Unicolor transparent		

Design-Dekor-Speichenschützer können Sie unter den folgenden Internetadressen wählen:

www.speichen-schutz.de
www.wheelchairgadgets.com


Knee lever brake

Bremsenvarianten




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1+6+7	1	352502	knee lever brake standard right complete		XXXXXXXXXXXX
o.B.	1	352501	knee lever brake standard left complete		XXXXXXXXXXXX
2+6+7	1	352902	knee lever brake pull-to-lock right complete		XXXXXXXXXXXX
o.B.	1	352901	knee lever brake pull-to-lock left complete		XXXXXXXXXXXX
3+6-8	1	351302	knee lever brake lockable complete right		XXXXXXXXXXXX
o.B.	1	351301	knee lever brake lockable complete left		XXXXXXXXXXXX
4+5+7	1	350902	one-hand brake right, complete user side + non-operating side		XXXXXXXXXXXX
o.B.	1	350901	one-hand brake left, complete user side + non-operating side		XXXXXXXXXXXX
4+7	1	350904	one-hand brake, operating side right		XXXXXXXXXXXX
o.B.	1	350903	one-hand brake, operating side left		XXXXXXXXXXXX
5	1	350912	one-hand brake non-operating side complete		XXXXXXXXXXXX
6	2	350017	cap black 15x6,8		35.00.17.01.00.10
7	1	352518	brake bolt 40 mm left-hand thread incl. mounting set		35.25.01.18.00.10
o.B.	1	352506	brake bolt milled 40 mm incl. mounting set		35.25.01.15.00.10
o.B.	1	352519	brake bolt 50 mm left-hand thread incl. mounting set		35.25.01.19.00.10
o.B.	1	352507	brake bolt milled 50 mm incl. mounting set		35.25.01.16.00.10
o.B.	1	352520			35.25.01.20.00.10
o.B.	1	352510	bracket 34, Bd 16x3x50 lockable		35.25.01.17.00.10
8	1	350503	latch 6/M10, red lockable		04.14.43.60.02.00

Brake lever extensions




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-2	2	3510	brake lever extension with cap		35.01.03.02.00.10
2	2	351011	PVC cap one-hand brake		04.63.00.16.40.40
3-4	2	3512	brake lever extension 100 for ball knob		35.14.03.01.00.30
4	2	351016	ball knob		04.06.12.50.80.40
altern.	2	351211	golf ball		04.06.14.20.80.00
5+2	2	3515	brake lever extension 23° with cap		35.15.03.01.00.10
6+4	2	3516	brake lever extension 23° for ball knob		35.16.03.01.00.10

Compact brake




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-3	1	35370202			35.37.02.10.02.83
o.B.	1	35370201			35.37.02.10.01.83
2	3				01.24.08.48.62.40
4-7	1	35370206			35.37.02.20.02.83
3	3		lock washer S6		02.99.10.60.01.10
o.B.	1	35370205			35.37.02.20.01.83
5	2		round-head screw DIN 6003 M6x20		01.11.08.54.00.40
6	2		washer DIN 125 - A 6,4		02.61.06.41.41.20
7	2		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20

Brake handle at Drum brake




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-9	2	352016	hand brake lever complete		XXXXXXXXXXXX
1+2	1	352010	hand brake lever for attendant brake incl. mounting set		04.54.92.22.20.10
2	1	352011			35.20.11.01.00.28
3-9	2	352006			35.20.06.99.00.10
3	1				04.54.91.50.11.21
4	1		outer shell for Bowden cable black 150mm		04.54.91.21.53.00
5	1		end bush metal ø5		04.54.91.50.10.41
6	1		set screw for Bowden cable M6x40 mm		04.54.01.40.60.20
7	1		clamp screw for bowden cable		04.54.11.30.00.20
8	1		inner Bowden cable 1,5x2250		04.54.91.11.52.20
9	1		end cap for inner Bowden cable ø1-1,5 mm		04.54.91.50.10.40

Bowden cable brake control/non-control sides





pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-5	1	353111	operating unit cable brake Jump/Vector pre-mounted right		35.31.19.99.02.69
o.B.	1	353112	operating unit cable brake Jump/Vector pre-mounted left		35.31.19.99.01.74
2	2				01.66.02.50.92.20
3-5	1	35310109	ball knob $\varnothing 32/M8$, form C, incl. mounting set		04.06.13.20.80.50
4	1		lock washer S8		02.99.10.80.01.10
5	1		lens head screw with hexagon socket ISO 7380 - M8x20		01.42.09.74.65.00
6-9	2	35360102			35.36.01.01.02.78
7	1		washer DIN 125 - A 6,4		02.61.06.41.41.20
8	1		hexagon nut self-locking low form DIN 985 - M6		02.32.00.60.01.20
9	1		lens head screw with hexagon socket ISO 7380 - M6x8		01.42.08.47.65.00

Bowden cable brake pressure piece




pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-2	1	35360110			35.37.05.00.02.83
o.B.	1	35360109			35.37.05.00.01.83
3+4	1				35.32.01.08.01.69
o.B.	1				35.32.01.08.02.69
o.B.	1				35.32.01.08.03.69
o.B.	1				01.24.08.52.02.61

Caddy



pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1-6	2	91830101			91.83.01.01.00.83
2	1				91.83.01.02.00.83
3	1				01.42.08.00.65.00
4	2		washer DIN 125 - A 5,3		02.61.05.31.01.20
5	2				02.68.05.00.50.30
6	1		hexagon cap nut low form with clamp DIN 986 - M5		02.33.00.60.21.20


2-Point Hip belt with Velcro and synthetic lock



Größe	A	B	C	D
1	148	14	5	2,5
2	156	17	6	2,5
3	166	22	7	2,5

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	78050201			04.56.91.05.01.00
o.B.	1	78050202			04.56.91.05.02.00
o.B.	1	78050203			04.56.91.05.03.00
o.B.	1	780106			78.01.06.01.00.00
o.B.	1	780107			78.01.06.02.01.00


2-Point Hip belt with Velcro and metal lock



Größe	A	B	C	D
1	148	14	5	2,5
2	156	17	6	2,5
3	166	22	7	2,5

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	78050204			04.56.91.06.01.00
o.B.	1	78050205			04.56.91.06.02.00
o.B.	1	78050206			04.56.91.06.03.00
o.B.	1	78050210			04.56.91.01.01.11
o.B.	1	780106			78.01.06.01.00.00
o.B.	1	780107			78.01.06.02.01.00


4-Point Hip belt with Velcro and synthetic lock



Größe	A	B	C	D	E
1	148	14	5	2,5	2,5
2	156	17	6	2,5	2,5
3	166	22	7	2,5	2,5

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	78050401			04.56.91.07.01.00
o.B.	1	78050402			04.56.91.07.02.00
o.B.	1	78050403			04.56.91.07.03.00
o.B.	1	780106			78.01.06.01.00.00
o.B.	1	780107			78.01.06.02.01.00


4-Point Hip belt with Velcro and metal lock



Größe	A	B	C	D	E
1	148	14	5	2,5	2,5
2	156	17	6	2,5	2,5
3	166	22	7	2,5	2,5

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	78050404			04.56.91.08.01.00
o.B.	1	78050405			04.56.91.08.02.00
o.B.	1	78050406			04.56.91.08.03.00
o.B.	1	78050210			04.56.91.01.01.11
o.B.	1	780106			78.01.06.01.00.00
o.B.	1	780107			78.01.06.02.01.00

Butterfly harness



Größe	A	B	C	D	E
1	9	21	27	10	12
2	12	24	36	14	14
3	17	30	42	15	18
4	20	32	48	17	21

pcs.	Q/1	item no.	Product name:	Variant:	drawing no.
1	1	781001			04.56.92.05.01.00
o.B.	1	781002			04.56.92.05.02.00
o.B.	1	781003			04.56.92.05.03.00
o.B.	1	781004			04.56.92.05.04.00
o.B.	1	780106			78.01.06.01.00.00
o.B.	1	780107			78.01.06.02.01.00