



Lightweight activity wheelchair with rigid frame, for children (already from 12 months)



Included in the base price

- Frame versions Retro or Taurus
- 2 different V-shaped abductions for maximized leg space
- Grows with the patient (SW + 2 cm, SD max. +4 cm, BH max. 5 cm), purchased parts may be necessary (depending on configuration)
- adjustable back angle (80°-100°)
- Activity side guards with integrated bowden cable brake.
- Also included:
seat plate; stabilizer bar; Standard- or Lightweight wheels;
Caster wheels with aluminum fork; wheel cover

☐ Quotation
☐ Order

Weight capacity: 50 kg
German aid index N°: 18.50.03.2006

Base price 3.350,- €

Prices excl. VAT,
valid from 15.01.2024 and until further notice.

Delivery address / Company stamp:

Name:

Address:

Billing address:

☐ same as delivery address

Name:

Address:

Ordering information:

Reference/
internal description:

Date:

Contact person:

Signature:

Frame measures

Seat width (10..)	Seat depth (11..)	Back height
+ 2 cm extension each <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34	+ 4 cm extension each <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36	The back height can be chosen when selecting the back system see on page 3

Seat heights

Caster size	Wheel size	Bore holes (B) caster fork	Seat height front Measured WITHOUT cushion. All specifications $\pm 5\%$					Bore holes
4"	18"	in 18"-fork	<input type="checkbox"/> 31,5 cm	<input type="checkbox"/> 33 cm	<input type="checkbox"/> 34,5 cm	<input type="checkbox"/> 36 cm	-	
	20"	B2	<input type="checkbox"/> 34 cm	<input type="checkbox"/> 35,5 cm	<input type="checkbox"/> 37 cm	<input type="checkbox"/> 38,5 cm	<input type="checkbox"/> 40 cm	
	22"	B2	<input type="checkbox"/> 36 cm	<input type="checkbox"/> 37,5 cm	<input type="checkbox"/> 39 cm	<input type="checkbox"/> 40,5 cm	<input type="checkbox"/> 42 cm	
	24"	B2	<input type="checkbox"/> 38,5 cm	<input type="checkbox"/> 40 cm	<input type="checkbox"/> 41,5 cm	<input type="checkbox"/> 43 cm	<input type="checkbox"/> 44,5 cm	
5"	20"	B1	<input type="checkbox"/> 34 cm	<input type="checkbox"/> 35,5 cm	<input type="checkbox"/> 37 cm	<input type="checkbox"/> 38,5 cm	<input type="checkbox"/> 40 cm	
	22"	B1	<input type="checkbox"/> 36 cm	<input type="checkbox"/> 37,5 cm	<input type="checkbox"/> 39 cm	<input type="checkbox"/> 40,5 cm	<input type="checkbox"/> 42 cm	
	24"	B1	<input type="checkbox"/> 38,5 cm	<input type="checkbox"/> 40 cm	<input type="checkbox"/> 41,5 cm	<input type="checkbox"/> 43 cm	<input type="checkbox"/> 44,5 cm	

B1 = 5"
B2 = 4"

Frame versions

Retro-Frame N° 597301		Taurus-Frame N° 597304	
<input type="checkbox"/> Retro Strong abduction		<input type="checkbox"/> Taurus Strong abduction	
casters on one line with rear wheels		casters on one line with rear wheels	
<input type="checkbox"/> Retro Slight abduction		<input type="checkbox"/> Taurus Slight abduction	
casters narrower than rear wheels		casters narrower than rear wheels	
N° 597305	0,- €	N° 597305	0,- €
N° 597306	0,- €	N° 597306	0,- €

Frame colors and color anodization Design package

Finish alternatives	Moderate metallic effect	Not metallic	Special colors (without additional charge, except for Nightblue)
<input type="checkbox"/> Shiny incl.	<input type="checkbox"/> Cream white (17) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Zinc yellow (02) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Chrome yellow (06) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Goblin Green (33) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Titan Grey (34) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> King's Blue (32)	<input type="checkbox"/> Black (31)	strong metallic effect: <input type="checkbox"/> Silver metallic (36) Dormant colors: <input type="checkbox"/> Firered Dormant (45) <input type="checkbox"/> Violet Dormant (50)
<input type="checkbox"/> Matt Not possible with special colors!	<input type="checkbox"/> Pastel Blue (20)		Coarse structured surface: <input type="checkbox"/> Coarse Black (27) Dormant color with additional charge AC 90,-€ <input type="checkbox"/> Nightblue Dorm. (47)
N° 1561	90,- €		

Design package color anodization (Color examples for anodized colors can be found on our website in the area equipment)

<input type="checkbox"/> anodized Blue (01) <input type="checkbox"/> anodized Red (02) <input type="checkbox"/> anodized Green (03) <input type="checkbox"/> anodized Gold Orange (04) <input type="checkbox"/> anodized Violet (05)	The following parts are anodized: Caster forks, handrims, brake bar and push handle bar The design package ist only possible in the listed setting.	Restrictions: The handrims are only available in the design package anodized colors by choosing aluminum handrims. (Not possible with stainless steel, Maxgrepp, PVC, double or nob handrims. Also not possible with wheels with Profile handrim).
N° 1569..	CPD 235,- €	

Specifcation of lower leg length (LLL) / Cushion thickness / Distance


Specify:
Lower leg length (LLL)

-

Specify:
Cushion thickness

=

Result: Distance upper edge of the seat and the upper edge of the footplate - Cushion thickness



Lower leg length: Specification of the distance in cm between the hollow of the knee and the sole of the foot at a 90° knee position angle

Thickness seat cushion: Indication of the thickness of the planned seat cushion

Wheelchair Dimensions:
Distance from the upper edge of the seat to the upper edge of the footrest in cm (without taking into account the thickness of the seat cushion). From your information regarding the lower leg length and thickness of the seat cushion, we calculate the distance from the top edge of the seat to the top edge of the footrest and mount this on the leg support you have chosen.

Measuring example:
Your information: LLL = 28 cm, seat cushion thickness = 5 cm
Manufacturer assembly: In this example, SORG mounts the footrest at a distance of 23 cm from the footrest.

Leg support with foot plate			Leg support options		
Model 1	Model 2	Calf pad	Locking device	Heel edge	Heel cups
<input type="checkbox"/> one piece, adjustable in height, depth and angle 	<input type="checkbox"/> Retractable, central installation, hinged backwards, adjustable in height, depth and angle Only from distance 15 cm 	<input type="checkbox"/> for leg support N° 402603 Two-part calf pad, padding thickness 2 cm Adjustable in height and width, including elastic nylon cover, black. Possible from SW 24 From 15 cm distance seat to leg support 	<input type="checkbox"/> Locking for leg support Model 2 (N° 402603)	<input type="checkbox"/> For foot plate Not possible when combining leg support Model 2 (N° 402603) with SW 18/20 cm	Heel cups, aluminum black for mounting on foot plate <input type="checkbox"/> Size 1 (.31) (8x12.5 cm) <input type="checkbox"/> Size 2 (.32) (10x14.5 cm)
N° 402601 0,- €	N° 402603 220,- €	N° 403008 247,- €	N° 4009 64,- €	N° 402505/401904 70,- €	N° 4020.. 78,- €/P

Distance selection Maximum distance from the top edge of the seat to the top edge of the footrest (depending on the seat height)




Check your configuration based on the wheelchair dimensions determined above. Mark the desired setting range in the table below. The specified dimension is the maximum adjustable distance between the upper edge of the seat and the upper edge of the footrest (depending on the seat height).

Correct marking of the desired distance (Distance determined under leg support configuration, see above). Necessary test steps:







❶ Selection Leg support → ❷ Selection Frame form → ❸ Selection Frame version → ❹ Selection wheel size → ❺ Selection seat depth



		❶ Maximum adjustable Distance at Leg support Model 1						❶ Maximum adjustable Distance at Leg support Model 2										
		Size caster wheel	4 inches	5 inches		4 inches	5 inches			Size caster wheel	4 inches	5 inches		4 inches	5 inches			
❷ Frame shape Taurus	❸ Frame version	Taurus frame version with strong abduction			❸	Taurus frame version with slight abduction					❸ Frame version	Taurus frame version with strong abduction			❸	Taurus frame version with slight abduction		
	❺ Seat depth	Size rear wheels			❹	20 inches					❺ Seat depth	Size rear wheels			❹	20 inches		
	18 - 24 cm	☐ ≤ 29,5 cm				☐ ≤ 24,5 cm ☐ ≤ 22 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 24,5 cm ☐ ≤ 22,5 cm		
	26 - 30 cm	☐ ≤ 28 cm ☐ ≤ 25 cm				☐ ≤ 24 cm ☐ ≤ 22 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 24,5 cm ☐ ≤ 22,5 cm		
	32 - 36 cm	☐ ≤ 29 cm ☐ ≤ 28 cm				☐ ≤ 22 cm ☐ ≤ 21 cm												
	22 inches						22 inches											
	18 - 24 cm	☐ ≤ 31 cm				☐ ≤ 26,5 cm ☐ ≤ 24 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 26,5 cm ☐ ≤ 24,5 cm		
	26 - 30 cm	☐ ≤ 31,5 cm				☐ ≤ 24 cm ☐ ≤ 24 cm												
	32 - 36 cm	☐ ≤ 31,5 cm				☐ ≤ 23 cm ☐ ≤ 23 cm												
	24 inches						24 inches											
18 - 24 cm	☐ ≤ 32 cm				☐ ≤ 31 cm ☐ ≤ 28,5 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 30,5 cm ☐ ≤ 28,5 cm			
26 - 30 cm	☐ ≤ 33 cm				☐ ≤ 28 cm ☐ ≤ 26,5 cm													
32 - 36 cm	☐ ≤ 34 cm				☐ ≤ 25 cm ☐ ≤ 25 cm													
❷ Frame shape Retro	❸ Frame version	Retro frame version with strong abduction			❸	Retro frame version with slight abduction					❸ Frame version	Retro frame version with strong abduction			❸	Retro frame version with slight abduction		
	❺ Seat depth	Size rear wheels			❹	20 inches					❺ Seat depth	Size rear wheels			❹	20 inches		
	18 - 24 cm	☐ ≤ 28,5 cm				☐ ≤ 22,5 cm ☐ ≤ 21,5 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 24 cm ☐ ≤ 22 cm		
	26 - 30 cm	☐ ≤ 30 cm ☐ ≤ 25,5 cm				☐ ≤ 20 cm ☐ ≤ 20 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 26 cm ☐ ≤ 24 cm		
	32 - 36 cm	☐ ≤ 27 cm ☐ ≤ 23 cm				☐ ≤ 21 cm ☐ ≤ 19,5 cm												
	22 inches						22 inches											
	18 - 24 cm	☐ ≤ 31 cm				☐ ≤ 25,5 cm ☐ ≤ 23 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 26 cm ☐ ≤ 24 cm		
	26 - 30 cm	☐ ≤ 30 cm				☐ ≤ 24,5 cm ☐ ≤ 20,5 cm												
	32 - 36 cm	☐ ≤ 29 cm				☐ ≤ 23,5 cm ☐ ≤ 19,5 cm												
	24 inches						24 inches											
18 - 24 cm	☐ ≤ 31 cm				☐ ≤ 29 cm ☐ ≤ 27 cm					18 - 36 cm	☐ ≤ 34 cm				☐ ≤ 29 cm ☐ ≤ 27 cm			
26 - 30 cm	☐ ≤ 30,5 cm				☐ ≤ 27,5 cm ☐ ≤ 25,5 cm													
32 - 36 cm	☐ ≤ 30 cm				☐ ≤ 27,5 cm ☐ ≤ 25 cm													

Attention. All information can be increased by up to 4.5 cm (in 3 x 1.5 cm steps) above the seat height by moving the Seat plate up. The increase in size affects the seat height.










Back system WITHOUT back tubes Cavity 50 mm only from SW 28 cm			
Weight advantage - Since the curved back plate is directly mounted on the side guards, no back tubes are needed.			
Back height 12..	Curved back plate model „Mio 1“	Curved back plate model „Mio 3“	Back extension
Please choose here the back height for this back system growing 2,5 cm each <input type="checkbox"/> 17,5 <input type="checkbox"/> 20 <input type="checkbox"/> 22,5 <input type="checkbox"/> 25 <input type="checkbox"/> 27,5 <input type="checkbox"/> 30 <input type="checkbox"/> 32,5 <input type="checkbox"/> 35	Curved back plate made of aluminum, BH + 2 cm; <input type="checkbox"/> 20-30 mm curve depth, <i>growable!</i>	Curved back plate made of aluminum, BH + 5 cm; <input type="checkbox"/> 20-30 mm curve depth, <i>growable!</i>	<input type="checkbox"/> extension up to 17.5 cm, retractable, with detachable head cushion; Weight advantage compared to a standard headrest up to 1000 g Only in combination with curved back plate. Not possible for head rest (N° 6860..). Unsuitable as a headrest for the transport of a disabled person in a passenger vehicle! Restrictions in combination with curved back plate: Curved back plate Mio 1: from back height 35 cm Curved back plate Mio 3: from back height 30 cm
Back angle adjustable SCREWED <input type="checkbox"/> Adjustable from 80°-100° (in 5° steps), by screwing Standard configuration: 90° Desired back angle: <input type="checkbox"/> ____°			
N° 697800 0,- €	curve depth depends on selected seat width N° 697801 0,- €	curve depth depends on selected seat width N° 697802 199,- €	N° 686069 299,- €







or


Back system WITH back tubes			
Back height 12..	Adjustable back cover	Curved back plate	WITHOUT back cover/curved back plate
Please choose here the back height for this back system growing 5 cm each <input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40	<input type="checkbox"/> Adjustable cover with strap system, incl. back cushion (thickness 2 cm), please choose your breathable cover color on page 4. Possible from SW 24.	Model 1 BH+2 cm; curve depth: <input type="checkbox"/> 15 mm (..015) <input type="checkbox"/> 30 mm (..030) <input type="checkbox"/> 50 mm (..050)	<input type="checkbox"/> WITHOUT back cover or curved back plate Please choose this option if you need only back tubes Please note: The selection of the adjustable back angle is necessary. Choose SCREWED (N° 697800) or RASTER (N° 627801).
Back angle adjustable SCREWED <input type="checkbox"/> Adjustable from 80°-100° (in 5° steps), by screwing Standard configuration: 90° incl. stabilizer bar Desired back angle: <input type="checkbox"/> ____°			N° 670399
Back angle adjustable RASTER <input type="checkbox"/> Adjustable in angle by raster from 78°, 90°, 102° or 114°, folds down forward, incl. stabilizer bar		Model 2 BH+10 cm; curve depth: <input type="checkbox"/> 15 mm (..115) <input type="checkbox"/> 30 mm (..130) <input type="checkbox"/> 50 mm (..150)	Back extension for curved back plate <input type="checkbox"/> extension up to 17.5 cm, retractable, with detachable head cushion; Weight advantage compared to a standard headrest up to 1000 g From SW 22 cm, not possible with head rest (N° 6860..) Not suitable as a head rest for the transport in a passenger vehicle Restrictions in combination with curved back plate: Curved back plate 1: from back height 35 cm Curved back plate 2: Not possible Curved back plate 3: from back height 30 cm with version BH+5 cm
N° 697805 0,- €			
N° 627801 310,- €		Model 3 BH+5 cm; curve depth: <input type="checkbox"/> 15 mm (..315) <input type="checkbox"/> 30 mm (..330) <input type="checkbox"/> 50 mm (..350) BH+10 cm; curve depth: <input type="checkbox"/> 15 mm (..415) <input type="checkbox"/> 30 mm (..430) <input type="checkbox"/> 50 mm (..450)	N° 686069 299,- €
			Connection for back shell Back shell connection, black, can be clamped to the stabilizer bar <input type="checkbox"/> 1 Piece up to max SW28 <input type="checkbox"/> 2 Pieces necessary from SW30
	N° 6701.. 240,- €	N° 698... 195,- €	
			N° 696401 44,- € / pcs





Seat cushion (all covers with zippers and changeable)				
	Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)	Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05) 	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover (Thickness of the front upholstery, depending on cushion size, is 5-6 cm) 	The color of the chosen covers can be selected below. -> choice of cover color	<input type="checkbox"/> For standard cushion as chosen on the left
	N° 80.. 105,- €	N° 891002 CPD 499,- €	N° 80..	N° 86.. 105,- €
<input type="checkbox"/> Additional cover for cushion as chosen on the right	Relax cushion for medium-soft seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05)	<input type="checkbox"/> Additional cover for anatomical cushion as chosen on the right	<input type="checkbox"/> Seat cushion as chosen, without cover	<input type="checkbox"/> For anatomical cushion as chosen on the left
N° 8201 85,- €	N° 81.. 135,- €	N° 891003 CPD 186,- €	N° 998001 ./ 30,- €	N° 891004 CPD 190,- €

Seat system	Back cushions (all covers with zippers and changeable)			
Alu seat plate		Standard cushion	Anat. back cushion	Cover design
<input checked="" type="checkbox"/> Incl. seat support frame, adjustable in height, depth and inclination Required configuration: <input type="checkbox"/> no seat inclination <input type="checkbox"/> slight seat inclination <input type="checkbox"/> high seat inclination	<input type="checkbox"/> No back cushion (please tick if no cushion is required)	<input type="checkbox"/> Medium-soft cushion foam plastic, 3 cm, with zipper, breathable cover (color selection below)	Anatomically formed, incl. changeable cover (color selection below) Cavity: <input type="checkbox"/> 3 cm (..04) <input type="checkbox"/> 5 cm (..06) <i>N° 891106 not with backsystem WITHOUT back tubes. Only in combination with the appropriate curve depth of the selected curved back plate.</i>	The color of the chosen covers can be selected below. -> choice of cover color
	<input type="checkbox"/> Additional cover for cushion as chosen on the right		N° 8911.. CPD 299,- € <input type="checkbox"/> Additional for anatomical back cushion as configured Customized product	N° 85.. <input type="checkbox"/> Back cushion as chosen, without cover
N° 1930 0,- €	N° 8501 85,- €	N° 8517 165,- €	N° 891110 CPD 155,- €	N° 998501 ./ 30,- €

Choice of Trevira cover color									
Note: Color views may differ from reality depending on the screen view / printout and are only for initial orientation.									
Please choose the color of the selected covers:									
<input type="checkbox"/> black (30)	<input type="checkbox"/> grey (31)	<input type="checkbox"/> nightblue (32)	<input type="checkbox"/> ultramarine blue (33)	<input type="checkbox"/> petrol (34)	<input type="checkbox"/> applegreen (35)	<input type="checkbox"/> burgundy (36)	<input type="checkbox"/> red (37)	<input type="checkbox"/> pink (38)	
									
N° 80.. (seat cushion/anat. cushion) / N° 85.. (back cushion/anat. back cushion) / N° 6701.. (adjustable back cover)									



Push handles			
Extendable standard push handles		Push bow (with joint made of plastic or metal)	
Push handles extendable by straight: (recommended from SW26) <input type="checkbox"/> 25 cm (..02) <input type="checkbox"/> 35 cm (..03) cranked: <input type="checkbox"/> 25 cm (..06) <input type="checkbox"/> 35 cm (..04)	<input type="checkbox"/> Extendable push handle with LONG handle (configure extension on the left) 	<input type="checkbox"/> extendable by 20 cm, adjustable in angle joint made of plastic up to SW 30cm at SW20/22 and BH25/30 only limited height adjustment possible	<input type="checkbox"/> extendable by 20 cm, adjustable in angle joint made of metal, from SW 32cm at BH25/30 only limited height adjustment possible
	N° 65.. 264,- €/P	N° 653301 425,- €	N° 653302 425,- €
	<input type="checkbox"/> Extendable push handle with SHORT handle (configure extension on the left) Not in combination with drum brake! 	Examples:  	
	N° 65..+ N° 623702 294,- €/P	plastic	Metal

Side guards		Arm rests for side guards	
Standard		Arm rests, height adjustable	
<div>✗</div> <div>Component of synthetic wheel cover and alu side guard</div>		<div>Height adjustable arm rests</div> <div> <input type="checkbox"/> with arm pads 175x50 mm, PU (...11) Recommended up to seat depth 24 cm </div> <div> <input type="checkbox"/> with arm pads 240x50 mm, PU (...12) Possible from seat depth 26 cm </div> <div>  </div> <div> <div>(Operation of the integrated cable brake under difficult circumstances)</div>  </div>	
N° 5025	0,- €/P	N° 4522..	220,- €/P

User brakes		Companion brakes	
Bowden cable brake	Lockable user brake	Drum brake ¹	Locking brake
<input type="checkbox"/> Bowden cable brake, integrated in activity side guards, with ball knob <div>  </div>	<input type="checkbox"/> Bowden cable brake, lockable in activated or deactivated position , integrated in activity side guards, with ball knob <div>  </div>	<input type="checkbox"/> for standard-, profile handrim- or lightweight wheels (N° 21..30/31), incl. braking lever for attendant if Bowden cable brake for the user is additionally required please tick also Article N° 353601 Not with 7° wheel camber / 9° wheel camber recommended <div>  </div>	<input type="checkbox"/> Locking brake at the back of the rear wheels To lock in the resting state (No driving brake) Not in combination with drum brake (N° 220036) <div>  </div>
N° 353601	0,- €	N° 353603	380,- €/P
		N° 220036	325,- €
		N° 353602	340,- €

Wheel size and wheel camber			
Wheel size		Wheel camber ¹	
Size in inches <input type="checkbox"/> 18" (only for lightweight wheels with standard hub, only up to seat depth 22) <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"		Wheel camber, firmly welded <input type="checkbox"/> 9°	
		Assembly set camber 7°/11°, preinstalled for <input type="checkbox"/> 7° <input type="checkbox"/> 11°	
0,- €		0,- €	
		N° 201518	
		79,- €	

¹ When mounting the drum brake in combination with an 11° camber, wheel sizes 22" and 24" may be restricted when the seat width grows.





Wheels				
Rear wheel Standard	Lightweight wheel with standard hub	Double handrim (only with 20" to 24"; Mounting possible from SW20)		
<input type="checkbox"/> All-round wheel, silver Additional weight of approx. 500g/P wheel compared to lightweight wheels	<input type="checkbox"/> with standard hub , very lightweight, incl. black aluminum handrim Weight reduction of approx. 500g/P compared to standard wheels	<input type="checkbox"/> Handrim for opposite site		
N° 21..30	N° 21..77	N° 2614	N° 261435	
0,- €/P	0,- €/P	1099,- €	153,- €	
Rear wheel with profile handrim	Lightweight wheel with drum brake hub	with drum brake hub and double handrim		
<div>Only with 22" and 24"</div> <input type="checkbox"/> Standard wheel, silver, with closed, rubberized, black handrim grip profile. Unity of rim and handrim, reduces the risk of injury to the fingers. Additional weight compared to lightweight wheels: approx. 1400g per pair. Additional weight compared to standard wheels: approx. 900g per pair. <div>  </div>	<input type="checkbox"/> with drum brake hub , incl. black aluminum handrim Only in combination with drum brake N° 220036 (AC 320,- €) Not possible with a camber of 7°! Weight reduction up to 1,1 kg/pair compared to drum brake wheels	Only at 9° camber Mounting <input type="checkbox"/> left <input type="checkbox"/> right		
N° 21..32	N° 21..82	N° 2615	N° 26..	
96,- €/P	0,- €/P	1.199,- €	0,- €/P	
		Distance of handrims <input type="checkbox"/> standard 18mm (...11) <input type="checkbox"/> tight 9mm (...12) Distance tight: Not in combination with handrim cover or coated handrim <div>  </div>		


Tyres			Examples:	
Title	Item-N°	Price		
<input type="checkbox"/> Pneumatic standard „Right Run“ 1“ 1	N° 20..13	0,- €		
<input type="checkbox"/> Performance pneumatic „Marathon Plus“ 1“ Only for 22“ and 24“ 2	N° 20..12	74,- € / P		
<input type="checkbox"/> Solid standard tyres 1“ Not available for 18“ wheels 3	N° 23..11	0,- €		






Handrim (Not for wheels with Profile handrim)					
Standard handrim (Please choose type of installation AND material)				Mounting very closely to rim	
Mounting type: <input type="checkbox"/> Standard / tight <input type="checkbox"/> Standard / wide <input type="checkbox"/> High / tight <input type="checkbox"/> High / wide		Material: <input type="checkbox"/> Stainless steel (..01) <input type="checkbox"/> Alu, silver anodized (..75)		<input type="checkbox"/> Handrim assembly Standard / tight <input type="checkbox"/> Handrim assembly High / tight <input type="checkbox"/> Handrim assembly Standard / wide <input type="checkbox"/> Handrim assembly High / tight	
Not possible on lightweight wheels with drum brakes		Only for standard wheels and in aluminum		<input type="checkbox"/> Handrim mounted very closely to rim, reduces the risk of finger injuries	
N° 30..	0,- €			N° 3015	CPD 142,-€
PVC	Ergonomic	Maxgrepp ORIGINAL	Maxgrepp ERGO-PARA	Design handrim	
<input type="checkbox"/> Handrim coated with black PVC, (Tetra Grip) 	<input type="checkbox"/> Handrim with ergonomic handrim profile, black anodized with integrated rubber grip 	<input type="checkbox"/> Handrims with a soft foam rubber coating. Suitable for quadriplegics and wheelchair users with weakened hand function. 	<input type="checkbox"/> Handrims for pushing with heel of the hand (soft surface), 	<input type="checkbox"/> Aluminum handrims coated in frame color color number: _____ The color numbers can be found next to the frame colors on page 1. Without specifying a color number, the selected frame color is used for coating. Anodized colors only possible in the design package.	
N° 33..	368,- €/P	N° 342424	420,- €/P	N° 341501..	460,- €/P
		N° 34..	490,- €/P	N° 303000	TD 70,-€/P


Handrim options			
Silicone cover for STANDARD handrim	Silicone cover for DOUBLE handrim	PVC cover for double handrim	
Detachable silicone cover, black (soft surface), <input type="checkbox"/> for lightweight wheel (..05) <input type="checkbox"/> for standard wheel (..20-24) 	Detachable silicone cover, black <input type="checkbox"/> for inside rim <input type="checkbox"/> for outside rim <input type="checkbox"/> for opposing side Not in combination with double handrim distance tight N° 2612 Not possible with double handrim 20"	<input type="checkbox"/> Handrim coating for double handrim, BOTH HANDRIMS (inside and outside), coated with black PVC N° 262402 355,- € <input type="checkbox"/> Handrim coating FOR OPPOSING SIDE of the double handrim, coated with black PVC N° 262401 195,- €	
N° 32..	156,- €/P	N° 3205	78,- €/Pcs

Spoke cover	Design spoke covers	
Transparent	Design spoke covers <small>Please specify the desired model of the corresponding manufacturer:</small>	
<input type="checkbox"/> transparent (..00)	<input type="checkbox"/> www.speichen-schutz.de _____ Not available for 18“ wheels	<input type="checkbox"/> www.wheelchairgadgets.com _____ Not available for 18“ wheels
N° 25..	172,- €/P	TD 180,- €
	N° 25..26	TD 180,- €
	N° 25..27	TD 180,- €

Caster wheels			
Standard PU	Standard solid rubber	Design PU	Design solid rubber
Polyurethane <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805) With 18" rear wheels only 4" caster wheels possible 	Solid rubber: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809) With 18" rear wheels only 4" caster wheels possible 	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834) With 18" rear wheels only 4" caster wheels possible 	Solid rubber, black, with aluminum rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836) With 18" rear wheels only 4" caster wheels possible 
0,- €	0,- €	0,- €	0,- €


Caster forks		Steering options	
Standard Aluminum	Design Aluminum	Track fixation	Locking mechanism
<input type="checkbox"/> Aluminum fork, black anodized 	<input type="checkbox"/> Aluminum fork coated in frame color color N°: _____ The color numbers can be found next to the frame colors on page 1. Without specifying a color number, the selected frame color is used for coating. Anodized colors are only possible in the design package.	<input type="checkbox"/> track fixation (straight) Not in combination with bumper N°9102 Only at frame form Taurus	<input type="checkbox"/> Locking mechanism for track fixation Not in combination with bumper N°9102 Only at frame form Taurus
N° 2826 0,- €	N° 2829 TD 50,- €/P	N° 2851 166,- €/P	N° 2850 208,- €/P

Frame options			
Anti tipper	Outdoor Front End	Splash guard	Step tube
<p>Swing-away installation</p> <p>Mounting</p> <p><input type="checkbox"/> left</p> <p><input type="checkbox"/> right</p> <p><input type="checkbox"/> pair (with 20" wheel from SW22)</p>	<p><input type="checkbox"/> Outdoor Front End, facilitates significantly active and passive driving on soft or rough surfaces, incl. mounting aid</p> <p>No simultaneous use possible with therapy table or abduction wedge</p> 	<p><input type="checkbox"/> Splash guard for Outdoor Front End, made of plastic</p> 	<p><input type="checkbox"/> Step tube, supports the tipping of the wheelchair</p> 
N° 7213169,- €/Pcs	N° 599536CPD 479,- €	N° 59951212CPD 85,- €	N° 740874,- €
Bumper	Wheel base extension	Sun shade	
<p><input type="checkbox"/> Bumper, made of rubber to protect furniture, doors, etc.</p>  <p>At frame form „Taurus“ not possible with Restraint system.</p>	<p><input type="checkbox"/> Wheel base extension by 4 cm to the back. Enables advanced settings of the center of gravity</p> <p>Only possible with adjustable back angle N° 627801.</p> <p>Attention: Return to standard wheel position only possible by new side guards!</p>	<p><input type="checkbox"/> variable adjustable sun shade, in black</p> <p>Usable height (from the top edge of the seat plate/seat cover to the apex) = selected back height + 40 cm</p> <p>Example: BH 30 + 40 cm = 70 cm</p>  <p>Removable sun shade. Easily adjustable in height and position by flexible holder.</p>	
N° 910270,- €/P	N° 760177274,- €/P	N° 910301TD 290,- €	
		N° 91030558,- €	

Therapy tables			
Central installation, plugged under seat plate, adjustable in height and distance			
Article name	Example:	Article-N°	Price
<input type="checkbox"/> Therapy table transparent, Acrylic glass, Size 0 (39 cm width) <i>recommended for SW 18-24</i>		N° 920910	340,- €
<input type="checkbox"/> Therapy table transparent, Acrylic glass, Size 1 (46 cm width) <i>recommended for SW 26-34</i>		N° 920911	340,- €
Restrictions in combination of therapy table and abduction wedge: Height adjustment of therapy table is limited <u>and</u> therapy table can only be used in combination with abduction wedge holders			

Lightweight head rests Measures in mm (all measures ± 10mm)

Lightweight head rest, adjustable with two conical joints, connection and removable cover included. **(cover with same color as back cushion)**
Weight reduction approximately 700-1000g to standard head rest systems.



Pad sizes:

	size 1	size 2
height	110	130
width	200	260
depth	30	40

Not approved as a headrest for transport in a motor vehicle.






Article name	Article-N°	Price
<input type="checkbox"/> Lightweight head rest Size 1 (Pad size 110x200mm)	N° 68600920	315,- €
<input type="checkbox"/> Lightweight head rest Size 2 (Pad size 130x260mm)	N° 68600921	315,- €

Standard head rests Measures in mm (all measures ± 10mm)

Article name	Article-N°	Price
<input type="checkbox"/> Standard head rest model 1 (shell-shaped small) including connection to stabilizer bar	N° 686021	315,- €
<input type="checkbox"/> Standard head rest model 3 (curved small) including connection to stabilizer bar	N° 686023	315,- €
<input type="checkbox"/> Standard head rest model 4 (curved large) including connection to stabilizer bar	N° 686024	315,- €
<input type="checkbox"/> Headrest cover, washable and changeable made of Trevira fabric Please specify a color and the two-digit color number (see page 4 at color choice of upholstery fabrics Trevira. If no color is specified, the color of the seat / back cushions is used. Color and color number:	Example: Rear view Front view N° 686050	89,- €
<input type="checkbox"/> Head rest holder for mounting on stabilizer bar for example for mounting headrests from other manufacturers Only select for non-SORG headrest	 N° 68600890	39,- €

1 Model 1 	2 Model 3 	3 Model 4
--------------------------	--------------------------	--------------------------

Lateral support (from back height 30: Extension possible without restrictions)

Article name			Article-N°	Price
Pad for pad holder Size 1				
<input type="checkbox"/> Pad 10 x 7 cm (incl. cover)	 <div>10x7cm10x9cm12x9cm</div>	N° 68590104	CPD 116,- €/P	
<input type="checkbox"/> Pad 10 x 9 cm (incl. cover)		N° 68590105	CPD 116,- €/P	
<input type="checkbox"/> Pad 12 x 9 cm (incl. cover)		N° 68590106	CPD 116,- €/P	
Lateral support holder, adjustable				
<input type="checkbox"/> Adjustable holder for lateral support, incl. linkage and protective cover Without pad		N° 68590200	CPD 420,- €/P	
<input type="checkbox"/> Extension joint for foldable pad holder <u>Extension for:</u> Holder Size 1 (3,8cm)		N° 68590115	CPD 124,- €/P	

Abbreviations:

piece - pcs
pair - P
trade discount - TD
configuration - cf.

seat width - SW
seat depth - SD
back height - BH

lower leg length - LLL
customized product discount - CPD
Additional charge - AC



Notes:

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/download-portal

Terms and Conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.
(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.
(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.
(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.
(2) If a 30-day payment deadline is exceeded, a delay rate of 9% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until December 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.
(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client.
In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery
Angelieferte Gegenstände sind, auch wenn sie unwesentliche Mängel Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if §433.paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months as long as the purchaser is not the user (§§ 474, 13 BGB). Should the purchaser be the user then the warranty period is two years for new goods, for used goods 12 months. Should the purchaser also be an entrepreneur, then the liability for used items is void, as long as there is no claim for compensation according to N° 12.
(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is defected, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.
(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or

incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.
(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.
(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: January 2017
SORG Rollstuhltechnik GmbH + Co. KG
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen / Germany
Phone +49 7254 / 9279-0
Fax +49 7254 / 9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de