

Activity wheelchair with mechanical tilting,
suitable for children and adolescents

Included in the base price:

- Frame versions Retro or Taurus
- 2 different V-shaped abductions for maximized leg space
- Growable back height + 5 cm (optional: Seat width +2 cm, Seat depth + 3 cm)
- mechanical seat tilting from -5° to +35° in the physiological turning point
- back adjustable in angle of 78°-126° and folds down to the front
- Also included:
seat plate - tilting in physiological turning point; stabilizer bar; Standard- or Lightweight wheels; Caster wheels with aluminum fork; anti-tipper left and right; Cable brake built in to the side guard



☐ Quotation
☐ Order

Weight capacity: 50 kg
German aid index N°: 18.50.03.2005

Base price 3.940,- €
Prices excl. VAT,
valid from 01.01.2024 and until further notice.

Delivery address / Company stamp:		Billing address: <input type="checkbox"/> same as delivery address	
Name:		Name:	
Address:		Address:	

Ordering information:	
Reference/ internal description:	Date:
Contact person:	Signature:

Frame versions




Retro frame N°597301		Taurus frame N°597304	
<input type="checkbox"/> Strong abduction LLL 15-34 cm casters on one line with rear wheels	<input type="checkbox"/> Slight abduction LLL 15-31 cm casters narrower than rear wheels	<input type="checkbox"/> Strong abduction LLL 15-34 cm casters on one line with rear wheels	<input type="checkbox"/> Slight abduction LLL 15-31 cm casters narrower than rear wheels
N°597305 0,- €	N°597306 0,- €	N°597305 0,- €	N°597306 0,- €





Frame- and user measures



Seat width in cm (10..)	Seat depth in cm (11..)	Back height in cm (12..)
<input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 we measure: inner distance side guard to side guard	<input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 we measure: front edge seat to front edge back rod	<input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 AC 180,- € (Back height growable by +5 cm each) we measure: top edge seat board to top edge back rod

Frame colors and color anodization Design package

Finish alternatives	Moderate metallic effect	Not metallic	Special colors (without additional charge, except for Nightblue)
<input type="checkbox"/> Shiny <input type="checkbox"/> Matt Not possible with special colors! N° 1561 90,- €	<input type="checkbox"/> Cream white (17) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Zinc yellow (02) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Chrome yellow (06) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Goblin Green (33) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Titan Grey (34) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> King's Blue (32) <input type="checkbox"/> Pastel Blue (20)	<input type="checkbox"/> Black (31)	strong metallic effect: <input type="checkbox"/> Silver metallic (36) Coarse structured surface: <input type="checkbox"/> Coarse Black (27) Dormant colors: <input type="checkbox"/> Firered Dormant (45) <input type="checkbox"/> Violet Dormant (50) Dormant color with additional charge AC 90,-€ <input type="checkbox"/> Nightblue Dorm. (47)
Design package color anodization (Color examples for anodized colors can be found on our website in the area equipment)			
<input type="checkbox"/> anodized Blue (01) <input type="checkbox"/> anodized Red (02) <input type="checkbox"/> anodized Green (03) <input type="checkbox"/> anodized Gold Orange (04) <input type="checkbox"/> anodized Violet (05) N° 1570.. CPD 235,- €	The following parts are anodized: Caster forks, supporting plate for side guards, handrims The design package ist only possible in the listed setting.		Restrictions: The handrims are only available in the design package anodized colors by choosing aluminum handrims. (not possible with stainless steel, Maxgrepp, PVC, double or nob handrims). Also not possible with wheels with profile handrims)

Seat system		Back system				
Alu seat plate		Back angle	Model 1	Model 2	Model 3	
<div>✗</div> screwed on, in the physiological turning point tiltable from -5° to +35°		<div>✗</div> Adjustable in angle by raster from 81°, 90°, 102°, 114° oder 126°, folds down forward, incl. stabilising rod	BH+2 cm; curve depth: <div><input type="checkbox"/> 15 mm (..015) <input type="checkbox"/> 30 mm (..030) <input type="checkbox"/> 50 mm (..050)</div> <div>Attention: curve depth 50mm only from seat width 28cm</div> <div></div> <div>Straight upper edge, 2 cm higher than back height</div>	BH+10 cm; curve depth: <div><input type="checkbox"/> 15 mm (..115) <input type="checkbox"/> 30 mm (..130) <input type="checkbox"/> 50 mm (..150)</div> <div>BH+20 cm; curve depth: <div><input type="checkbox"/> 15 mm (..215) <input type="checkbox"/> 30 mm (..230) <input type="checkbox"/> 50 mm (..250)</div></div> <div>Attention: curve depth 50mm only from seat width 28cm</div> <div></div> <div>Straight upper edge, 10 or 20 cm higher than back height</div>	BH+5 cm; curve depth: <div><input type="checkbox"/> 15 mm (..315) <input type="checkbox"/> 30 mm (..330) <input type="checkbox"/> 50 mm (..350)</div> <div>BH+10cm; curve depth: <div><input type="checkbox"/> 15 mm (..415) <input type="checkbox"/> 30 mm (..430) <input type="checkbox"/> 50 mm (..450)</div></div> <div>Attention: curve depth 50mm only from seat width 28cm</div> <div></div> <div>Curved upper edge, 5 or 10 cm higher than back height</div>	
N° 1928000,- €			N° 19281061,- €	N° 6121050,- €	N° 693...315,- €	N° 693...399,- €
Blocking set						
Mounting set to limit tilting; towards the front to max.: <div><input type="checkbox"/> 0° tilting</div> towards the back to max.: <div><input type="checkbox"/> +30°, <input type="checkbox"/> +25°, <input type="checkbox"/> +20°, <input type="checkbox"/> +15°tilting</div>						
N° 19281061,- €		N° 6121050,- €	N° 693...315,- €	N° 693...399,- €	N° 693...399,- €	

Back extension		Back cover	Fitting set	Connection
for curved back	Restrictions	Adjustable	for solid back	for back shell
<input type="checkbox"/> extension up to 17.5 cm, retractable, with detachable head cushion From SW 22 cm Only for curved back Weight reduction of approx. 1000g compared to a head rest <i>Not possible with head rest (N° 6860..)</i>	<p>Extended</p>  <p>Retracted</p> <p>(Back view)</p> <p>Model 1: from BH 35 cm</p> <p>Model 2: Not possible</p> <p>Model 3: from BH 30 cm only with version BH+5 cm</p> <p>Fitting set N° 692598: from SW 30 cm</p>	<input type="checkbox"/> incl. back cushion (thickness 2 cm) Breathable cover, color selection below at choice of Trevira color Possible from SW24 	<input type="checkbox"/> one set of clamps, required for mounting a solid back that is manufactured by the specialist trade Curve depth 50mm only from seat width 30cm 	<p>Back shell connection, black, can be clamped to the stabilizer bar</p> <p><input type="checkbox"/> 1 Piece up to max SW28</p> <p><input type="checkbox"/> 2 Pieces neccessary from SW30</p> 
N° 686077 299,- €		N° 6701... 240,- €	N° 692598 160,- €	N° 696401 44,- € / pcs

Seat cushions (All covers with zippers and changeable)					
		Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)		Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05) 	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover (Thickness of the front upholstery, depending on cushion size, is 5-6 cm) 	The color of the chosen covers can be selected at choice of Trevira cover color	<input type="checkbox"/> For standard cushion as selected on the left
		N° 80.. 105,- €	N° 891002 CPD 499,- €	N° 80..	N° 86.. 105,- €
<input type="checkbox"/> Additional cover for cushion as selected on the right		Pressure relief cushion for medium-soft seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05)	<input type="checkbox"/> Additional cover for anatomical cushion as selected Customized product	<input type="checkbox"/> Seat cushion as selected, without cover	<input type="checkbox"/> For anatomical cushion as selected on the left
N° 8201 85,- €		N° 81.. 135,- €	N° 891003 CPD 186,- €	N° 998001 ./.. 30,- €	N° 891004 CPD 190,- €

Back cushions (All covers with zippers and changeable)		
Without cushion	Standard cushion	Anatomical back cushion
<input type="checkbox"/> No back cushion (please tick if no cushion is required)	<input type="checkbox"/> Standard cushion for curved back plate , 3 cm thick, with zipper, breathable cover (choice of Trevira cover color below)	Anatomically formed, including cover, changeable, curve depth: <div style="display: inline-block; vertical-align: middle;"> <input type="checkbox"/> 3 cm (..04) <input type="checkbox"/> 5 cm (..06) </div> <div style="display: inline-block; vertical-align: middle; font-size: 0.8em; margin-left: 10px;"> Only in combination with the appropriate curve depth of the selected curved back plate. </div>
Without cover	N° 8517 165,- €	N° 8911.. CPD 299,- €
<input type="checkbox"/> Back cushion as selected, without cover	<input type="checkbox"/> Additional cover for cushion as selected	<input type="checkbox"/> Additional cover for anatomical back cushion as selected Customized product
N° 998501 /.- 30,- €	N° 8501 85,- €	N° 891110 CPD 155,- €

Choice of Trevira cover color

Please choose your color of the chosen covers:

☐ black (30)
 ☐ grey (31)
 ☐ night blue (32)
 ☐ ultramarine blue (33)
 ☐ petrol (34)
 ☐ applegreen (35)
 ☐ burgundy (36)
 ☐ red (37)
 ☐ pink (38)

Note: Color views may differ from reality depending on the screen view / printout and are only for initial orientation.

N° 80.. (seat cushion/anat. cushion) /
 N° 85.. (back cushion/anat. back cushion) /
 N° 6701.. (adjustable back cover)

Specification of lower leg length (LLL) / Cushion thickness / Distance

Specify:

Lower leg length (LLL)



Specify:


Cushion thickness



Result: **Wheelchair dimensions** Distance upper edge of the seat and the upper edge of the footplate - Cushion thickness



All measurements in cm



Lower leg length:

Specification of the distance in cm between the hollow of the knee and the sole of the foot at a 90° knee position angle

Thickness seat cushion:

Indication of the thickness of the planned seat cushion

Wheelchair Dimensions:





Distance from the upper edge of the seat to the upper edge of the footrest in cm (without taking into account the thickness of the seat cushion). From your information regarding the lower leg length and thickness of the seat cushion, we calculate the distance from the top edge of the seat to the top edge of the footrest and mount this on the leg support you have chosen.

Example:

Your information: LLL = 28 cm, seat cushion thickness = 5 cm

Manufacturer assembly: In this example, SORG mounts the footrest at a distance of 23 cm from the footrest.

Leg support with foot rest

Model 1	Model 2	Calf rest	Heel cups
<input type="checkbox"/> Leg support with undivided foot rest. Footplate can be folded up to the rear, angle and height adjustable 	<input type="checkbox"/> Legrest with continuous footplate, steady angle adjustable up to 180°, footplate folds up backwards, height adjustable Possible from a seat width of 22 cm Possible distance seat plate to footplate: 16-34 cm (with calf rest: 23-34 cm) 	<input type="checkbox"/> for leg support Model 1 N° 401901 and Model 2 N° 401910 Two-part calf pad, padding thickness 2 cm. Adjustable in height and width, including elastic nylon cover, black. Possible from SW 22 From 16 cm / 23 cm distance seat to leg support 	for leg support Model 2 N° 401911, Mounting calf rest: <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> double-sided From SW 22 cm From 23 cm distance seat to leg support foot plates are no longer hingeable backwards. 
N° 401901 0,- €	N° 401910 150,- €	N° 401911 150,- €	N° 4020.. 78,- €/P
<input type="checkbox"/> Locking mechanism at 90° for chosen foot plate N° 4009 64,- €			<input type="checkbox"/> Matching belts to the selected heel cups (N° 4020..) N° 402015 108,- €/P <input type="checkbox"/> Heel edge for foot plate N° 401904 70,- €/Pcs

Distance selection Maximum distance from the top edge of the seat to the top edge of the footrest (depending on the seat height)

Check your configuration based on the wheelchair dimensions determined above. Mark the desired setting range in the table below. The specified dimension is the maximum adjustable distance between the upper edge of the seat and the upper edge of the footrest (depending on the seat height).




Correct marking of the desired distance (Distance determined under leg support configuration, see above). Necessary test steps:





① Selection Frame shape → ② Selection Frame version → ③ Selection wheel size → ④ Selection seat depth

Leg support: Maximum adjustable distances				
	Size Caster wheels	4 inch	5 inch	
① Frame shape TAURUS	Frame version	Taurus frame with strong abduction		② Taurus frame with slight abduction
	Seat depth ④	Size rear wheels ③		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 26,5 cm <input type="checkbox"/> ≤ 24,5 cm
		22 inch		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 28,5 cm <input type="checkbox"/> ≤ 26,5 cm
① Frame shape RETRO		24 inch		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 32,5 cm <input type="checkbox"/> ≤ 30,5 cm
		Retro frame with strong abduction		Taurus frame with slight abduction
	Seat depth ④	Size rear wheels ③		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 26 cm <input type="checkbox"/> ≤ 24 cm
		22 inch		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 28 cm <input type="checkbox"/> ≤ 26 cm
		24 inch		
	18 - 36 cm	<input type="checkbox"/> ≤ 36 cm		<input type="checkbox"/> ≤ 31 cm <input type="checkbox"/> ≤ 29 cm

Push handles

Standard	Hand push bow (made of plastic or metal)	
extendable, cranked: <input type="checkbox"/> 25 cm (..06) <input type="checkbox"/> 35 cm (..04)	<input type="checkbox"/> extendable by 20 cm, adjustable in angle made of plastic up to SW 30cm	<input type="checkbox"/> extendable by 20 cm, adjustable in angle made of metal, from SW 32cm
	 at SW20/22 and BH25/30 only limited height adjustment possible	 at SW20/22 and BH25/30 only limited height adjustment possible
N° 65.. 264,-/P	N° 653301 425,- €	N° 653302 425,- €

Side guards	Armrests for side guards	Note: The armrests do not tilt with the seat unit
Standard <input checked="" type="checkbox"/> Component of synthetic wheel cover and alu side guard	Armrests, height adjustable Height adjustable armrests <input type="checkbox"/> with arm pads 175x50 mm, PU (..11) Recommended up to seat depth 24 cm <input type="checkbox"/> with arm pads 240x50 mm, PU (..12) Possible from seat depth 26 cm	
		
N° 5025 0,- € / P	N° 4522.. 220,- € / P	

User brakes	Companion brakes		
Bowden cable brake <input type="checkbox"/> Bowden cable brake, integrated in activity side guards	Lockable user brake <input type="checkbox"/> Bowden cable brake, lockable in activated or deactivated position , integrated in activity side guards	Drum brake¹ <input type="checkbox"/> Drum brake for standard-, profile handrim- or lightweight wheels (N° 21..30/31/82), incl. brake lever for the accompanying person If Bowden cable brake for the user is additionally required please tick also Article N° 3532. Not with 7° wheel camber / 9° wheel camber recommended	Locking brake² <input type="checkbox"/> Locking brake at the back of the rear wheels To lock in the resting state (No driving brake) Not in combination with drum brake (N° 220036)
			
N° 3532 0,- €	N° 353603 380,- € / P	N° 220036 325,- €	N° 353602 340,- €


¹ (Drum brake) When mounting the drum brake in combination with an 11° camber, wheel sizes 22" and 24" may be restricted when the seat width grows.

² (Locking brake) When mounting the locking brake in combination with lateral supports, the back angle adjustment or tilting can be restricted.

Selection of Seat height / Wheel size


Wheel size	Seat height (in cm)						Seat height measured WITHOUT CUSHION from seat edge to floor with horizontal seat.
	37,5	39	39,5	41	42	43,5	
20" (recommended for SD18 - 28)	<input type="checkbox"/>	N° 19280700 AC 69,- €					<input type="checkbox"/> = Standard seat height for chosen wheel size.
22" (recommended for SD22 - 32)			<input type="checkbox"/>	N° 19280700 AC 69,- €			<input type="checkbox"/> = Seat height for chosen wheel size with increase set. (69,- € ADDITIONAL CHARGE for increase set N° 19280700)
24" (recommended for SD26 - 36)					<input type="checkbox"/>	N° 19280700 AC 69,- €	<input type="checkbox"/> = Not possible
Possible Caster wheel sizes	4" + 5"	4" + 5"	4" + 5"	4" + 5"	4" + 5"	4" + 5"	

Wheels




Rear wheel Standard	Rear wheel with profile handrim <i>Only with 22" and 24"</i>	Lightweight wheel	Lightweight wheel	Wheel camber
<input type="checkbox"/> All-round wheel, silver Additional weight of approx. 500g/wheel compared to lightweight wheels	<input type="checkbox"/> Standard wheel, silver, with closed, rubberized, black handrim grip profile. Unity of rim and handrim, reduces the risk of injury to the fingers. Additional weight compared to lightweight wheels: approx. 1400g per pair. Additional weight compared to standard wheels: approx. 900g per pair. 	<input type="checkbox"/> with standard hub , very lightweight, incl. black aluminum handrim Weight reduction of approx. 500g/wheel compared to standard wheel	<input type="checkbox"/> with drum brake hub , incl. black aluminum handrim Weight reduction of up to 1,1 kg/wheel compared to standard drum brake wheels. Not with 7° wheel camber	<input type="checkbox"/> 9° (Standard) 0,- € Mounting set wheel camber 7°/11°, preassembled on <input type="checkbox"/> 7° <input type="checkbox"/> 11°
N° 21..30 0,- €	N° 21..32 96,- € / P	N° 21..77 0,- € / P	N° 21..82 0,- €	N° 201518 79,- €

¹ (Wheel camber) When mounting the drum brake in combination with an 11° camber, wheel sizes 22" and 24" may be restricted when the seat width grows.

Wheels with double handrim / One-hand drive





Hub	Opposite side	Distance	Silicone cover for double handrim	PVC coating for double handrim
with standard hub and double handrim, <i>only up to 9° camber</i> Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2614 1099,- €	<input type="checkbox"/> Handrim for the opposite side	Distance of double handrim <input type="checkbox"/> standard 18mm (..11) <input type="checkbox"/> tight 9mm (..12) <i>Distance tight: Not in combination with handrim cover or coated handrim.</i> 	Detachable silicone cover, black <input type="checkbox"/> for inside rim <input type="checkbox"/> for outside rim <input type="checkbox"/> for opposing side	<input type="checkbox"/> Handrim coating for double handrim, both handrims (inside and outside), coated with black PVC N° 262402 355,- € <input type="checkbox"/> Handrim coating for opposing side of the double handrim, coated with black PVC N° 262401 195,- €
with drum brake hub and double handrim Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2615 1.199,- €	N° 261435 153,- €	N° 26.. 0,- €	N° 3205 78,- € / Pcs	

Tyres 20"-24"






Standard pneumatic	Standard solid	Performance
Pneumatic: <input type="checkbox"/> Schwalbe Right Run 1"  Similar to illustration	Solid: <input type="checkbox"/> Standard tyres 1"  Similar to illustration	Pneumatic flat free tyres 1" <input type="checkbox"/> Schwalbe Marathon Plus 1" Only for 22" and 24"  Similar to illustration
N° 20..13 0,- €	N° 23..11 0,- €	N° 20..12 74,- € / Paar

Standard handrims

Please always select the desired type of installation AND material

Mounting and material for standard handrims	Standard / tight	Standard / wide	High / tight	High / wide	Mounting very closely to rim
Mounting: <input type="checkbox"/> Standard / tight <input type="checkbox"/> Standard / wide <input type="checkbox"/> High / tight <input type="checkbox"/> High / wide } Not possible on lightweight wheels with drum brakes Material: <input type="checkbox"/> Stainless steel (..01) <input type="checkbox"/> Aluminum (..75) 20" with stainless steel only possible with mounting „high“. N° 30..					<input type="checkbox"/> Handrims mounted very closely to rim, reduces the risk of finger injuries Only for standard wheels and in aluminum N° 3015 CPD 142,- €

More handrims

Ergonomic handrims	Design handrims	PVC	Maxgrepp handrims	Silicone cover
<input type="checkbox"/> handrim with ergonomic handrim profile, black anodized with built-in rubber grip Only for 24" wheels 	<input type="checkbox"/> Aluminum handrims coated in frame color color number: _____ The color numbers can be found next to the frame colors on page 1. Without specifying a color number, the selected frame color is used for coating. Anodized colors only possible in the design package. 	<input type="checkbox"/> Handrim coated with black PVC, (Tetra Grip) Not for wheels with profile handrim 	<input type="checkbox"/> Maxgrepp ORIGINAL Handrims with a soft foam rubber coating. Suitable for quadriplegics and wheelchair users with weakened hand function. N° 341501.. 460,- € / P <input type="checkbox"/> Maxgrepp ERGO-PARA Handrims for pushing with heel of the hand (soft surface), NOT for profile wheels 	Detachable silicone cover, black (soft surface) <input type="checkbox"/> for standard wheel (20-24) <input type="checkbox"/> for lightweight wheel (..05) 
N° 342424 420,- € / P	N° 303000 TD 50,- € / P	N° 33.. 368,- € / P	N° 34.. 490,- € / P	N° 32.. 156,- € / P



Spoke cover

Transparent	Design Decors (Net prices are not discountable)
<input type="checkbox"/> transparent (..00) N° 25.. 172,- € / P	Please specify the desired model of the corresponding manufacturer: <input type="checkbox"/> www.speichen-schutz.de <input type="checkbox"/> www.wheelchairgadgets.com N° 25..26 TD 180,- € N° 25..27 TD 180,- €








Caster wheels

Standard PU	Standard solid rubber	Design PU	Design solid rubber
Polyurethane, black: <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805)	Solid rubber, grey: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809)	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834)	Solid rubber, black, with alu rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836)

Caster forks


Standard Aluminum	Design Aluminum	Track fixation	Locking
<input type="checkbox"/> Alu fork, black anodized 	<input type="checkbox"/> Aluminum fork coated in frame color color N°: _____ The color numbers can be found next to the frame colors on page 1. Without specifying a color number, the selected frame color is used for coating. Anodized colors are only possible in the design package. 	<input type="checkbox"/> Caster wheel track fixation (straight) Not in combination with bumper N° 9102 N° 2851 166,- € / P	<input type="checkbox"/> Locking mechanism for track fixation Not in combination with bumper N° 9102 N° 2850 208,- € / P

Frame options

Outdoor Front End	Splash guard	Bumper	Sun shade	
<input type="checkbox"/> facilitates significantly active and passive driving on soft or rough surfaces, incl. jack up aid. 	<input type="checkbox"/> Splash guard for Outdoor Front End, made of black plastic 	<input type="checkbox"/> Bumper, made of rubber to protect furniture, doors, etc.  Frame form „Taurus“ not possible with Restraint system.	<input type="checkbox"/> variable adjustable sun shade, in black Usable height (from the top edge of the seat plate/seat cover to the apex) = selected back height + 40 cm Example: BH 30 + 40 cm = 70 cm N° 910301 TD 250,-€ <input type="checkbox"/> Extension set Increasing the usable amount of the Sun shade by 14 cm.	 Removable sun shade. Easily adjustable in height and position by flexible holder. 
N° 599516 CPD 479,- €	N° 59951212 CPD 85,- €	N° 9102 70,- €/P	N° 910305 TD 58,- € / Set	
Step tube	Adaption set	Wheel base extension	Anti-tipper	
<input type="checkbox"/> Step tube to make tilting more easy 	<input type="checkbox"/> Modification set for growable seat width + 2 cm and seat depth up to 3 cm	<input type="checkbox"/> by 4 cm to the back, and adjustment of axis, side guards and brake Attention: Return to standard configuration only possible by new side guards! Not in combination with double handrim.	<input checked="" type="checkbox"/> left and right, swing away installation, adjustable in height 	
N° 7408 74,- €	N° 597799 200,- €	N° 760177 274,- €/P	N° 7214 0,- €	

Therapy tables

Central installation, plugged under seat plate, adjustable in height and distance

Article name	Article-N°	Price	
<input type="checkbox"/> Therapy table transparent, Acrylic glass, Size 0 (39 cm width) recommended for SW 18-24	N° 920910	340,- €	
<input type="checkbox"/> Therapy table transparent, Acrylic glass, Size 1 (46 cm width) recommended for SW 26-32	N° 920911	340,- €	
<input type="checkbox"/> Therapy table transparent, Acrylic glass, Size 2 (59 cm width) recommended for SW 34-36	N° 920912	340,- €	


Restrictions in combination of therapy table and abduction wedge:

Height adjustment of therapy table is limited and therapy table can only be used in combination with abduction wedge holders

Lightweight head rests Measures in mm (all measures ± 10mm)

Lightweight head rest, adjustable with two conical joints, connection and removable cover included. **(cover with same color as back cushion)**

Weight reduction approximately 700-1000g to standard head rest systems.



Pad sizes:

	size 1	size 2
height	110	130
width	200	260
depth	30	40



Not approved as a headrest for transport in a motor vehicle.



Article name	Article-N°	Price
<input type="checkbox"/> Lightweight head rest Size 1 (Pad size 110x200mm)	N° 68600920	315,- €
<input type="checkbox"/> Lightweight head rest Size 2 (Pad size 130x260mm)	N° 68600921	315,- €

Standard head rests Measures in mm (all measures ± 10mm)




Article name	Article-N°	Price
<input type="checkbox"/> Standard head rest model 1 (shell-shaped small) including connection to stabilizer bar	1 N° 686021	315,- €
<input type="checkbox"/> Standard head rest model 3 (curved small) including connection to stabilizer bar	2 N° 686023	315,- €
<input type="checkbox"/> Standard head rest model 4 (curved large) including connection to stabilizer bar	3 N° 686024	315,- €
<input type="checkbox"/> Headrest cover, washable and changeable made of Trevira fabric Please specify a color and the two-digit color number (see page 2 at color choice of upholstery fabrics Trevira. If no color is specified, the color of the seat / back cushions is used. Color and color number:	Example: Rear view Front view N° 686050	89,- €
<input type="checkbox"/> Head rest holder for mounting on stabilizer bar for example for mounting headrests from other manufacturers Only select for non-SORG headrest	 N° 68600890	39,- €

1 Model 1 	2 Model 3 	3 Model 4
----------------------	----------------------	----------------------

Lateral support

From BH 30: attachment possible without restrictions.

With BH 25: loss of 5° tilting path in combination with tilting blocker (N° 192810).



Article name				Article-N°	Price
Pad for pad holder Size 1					
<input type="checkbox"/> Pad 10 x 7 cm (incl. cover)	 10x7cm 10x9cm 12x9cm			N°68590104	CPD 116,- €/P
<input type="checkbox"/> Pad 10 x 9 cm (incl. cover)				N°68590105	
<input type="checkbox"/> Pad 12 x 9 cm (incl. cover)				N°68590106	
Pad for pad holder Size 2					
<input type="checkbox"/> Pad 12 x 9 cm (incl. cover)	 12x9cm 15x10cm 18x13cm			N°68590206	CPD 116,- €/P
<input type="checkbox"/> Pad 15 x 10 cm (incl. cover)				N°68590204	
<input type="checkbox"/> Pad 18 x 13 cm (incl. cover)				N°68590205	
Lateral support holder, adjustable					
<input type="checkbox"/> Adjustable holder for lateral support, incl. linkage and protective cover Without pad Length difference of the holder size 1 to size 2 is about 4.5 cm	 Protective cover			N°68590200	CPD 420,- €/P
<input type="checkbox"/> Extension joint for foldable pad holder				N°68590115	CPD 124,- €/P
Extension for: Holder Size 1 (3,8cm) Holder Size 2 (5,5cm)					

Positioning belts

Article name	Article-N°	Price
<input type="checkbox"/> 2-Point pelvic belt with PLASTIC fastener, incl. mounting material for self attachment	1 N° 780590	140,- €
<input type="checkbox"/> 2-Point pelvic belt with METAL fastener, incl. mounting material for self attachment	2 N° 780591	155,- €
<input type="checkbox"/> 4-Point pelvic belt with PLASTIC fastener, incl. mounting material for self attachment	3 N° 780592	180,- €
<input type="checkbox"/> 4-Point pelvic belt with METAL fastener, incl. mounting material for self attachment	4 N° 780593	195,- €
<input type="checkbox"/> Protection cap for pelvic belt with metal fastener (see N° 780591 oder N° 780593) Makes independent opening for the patient difficult.	5 N° 78050210	19,- €
<input type="checkbox"/> Chest-shoulder belt without zipper, incl. mounting material for self attachment	6 N° 781010	199,- €

2-point pelvic belt plastic fastener 1	2-point pelvic belt metal fastener 2	4-point pelvic belt plastic fastener 3	4-point pelvic belt metal fastener 4	Application example 5	Chest-shoulder belt 6
--	--------------------------------------	--	--------------------------------------	-----------------------	-----------------------

Belt holder

Upper belt holder	Lower belt holder
<input type="checkbox"/> for attaching positioning belts, incl. connection for square tube A headrest with a square tube is required to install the belt holder	<input type="checkbox"/> for the attachment of 2-point/4-point and/or chest-shoulder belts.
	
N° 780130 95,- €	N° 782000 59,- €

Abduction wedges

Article name	Article-N°	Price
<input type="checkbox"/> abduction wedge, incl. holder and pad, Size S	N° 1952	209,- €
<input type="checkbox"/> abduction wedge, incl. holder and pad, Size M	N° 1953	209,- €
<input type="checkbox"/> abduction wedge, incl. holder and pad, Size L	N° 1954	209,- €
<input type="checkbox"/> Holder for abduction wedge (without pad)	N° 1951	165,- €

Size	Length (L) (mm)	Width (B) (mm)	Height (H) (mm)
S	94	65	90
M	110	82	95
L	125	90	100


Dimensions ± 5%

Foot fixation

Article name	Article-N°	Price
<input type="checkbox"/> with Velcro/fleece fastener and guide roller, Size. 1	N° 781201	199,- €
<input type="checkbox"/> with Velcro/fleece fastener and guide roller, Size. 2	N° 781202	199,- €

Size	Length L
1	15-20 cm
2	19-23 cm

Transport brackets

Transport brackets
<input type="checkbox"/> Transport brackets (4 pieces) for transportation in a handicapped accessible passenger car

N° 58507710 CPD 380,-€

Electric systems

For all electric aids we recommend casters of 5" or higher. Please regard the possible **mounting specifications** of the manufacturer.
AAT Systems
www.aat-online.de
Alber Systems
www.alber.de

Notes:

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/download-portal

Terms and conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.

(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.

(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.

(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.

(2) If a 30-day payment deadline is exceeded, a delay rate of 9% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until December 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.

(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client.

In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery Angelieferte Gegenstände sind, auch wenn sie unwesentliche Mängel Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if § 433 paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months as long as the purchaser is not the user (§§ 474, 13 BGB). Should the purchaser be the user then the warranty period is two years for new goods, for used goods 12 months. Should the purchaser also be an entrepreneur, then the liability for used items is void, as long as there is no claim for compensation according to N° 12.

(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is detected, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.

(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.

(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.

(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: January 2017

SORG Rollstuhltechnik GmbH + Co. KG

Benzstr. 3-5, 68794 Oberhausen-Rheinhausen / Germany

Phone +49 7254 / 9279-0

Fax +49 7254 / 9279-10

info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de