

## Tiltable wheelchair for an optimized positioning, suitable for adolescents and adults

### Included in the base price:

- grows with the patient (SW by max. 4cm, SD + 2cm and with equipment by + 4cm, BH by max. 5 cm), purchased parts may be necessary (depending on configuration)
- Seat tilt function from -3° up to +35°
- Pneumatic or solid tyres
- Rigid frame with 10 cm abduction
- For active and passive use
- Back angle adjustment from 80° to 120°, completely stowable
- Standard knee lever brake

### Delivery address / Company stamp:

Name:

Address:

### Billing address:

☐ same as delivery address

Name:

Address:

### Ordering information:

Reference/  
internal description:

Date:

Contact person:

Signature:

☐ Quotation

☐ Order

German aid index N°. 18.50.03.2001

Weight capacity: 120 kg

Base price 3.400,- €

Prices excl. VAT,

valid from 15.01.2024 and until further notice.

## Frame measures

Seat width (10..)	Seat depth (11..)	Back height	Lower leg length
+ 4 cm extension each	+ 2 cm extension each (optionally with another 3 cm growing)	Please specify the back height when selecting the back system on page 3.	Please specify the lower leg length and the distance from the upper edge of the seat to the upper edge of the footrest in the legrest configuration on page 5.
<input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48	<input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48		


## Frame equipment

Child-proof lock	Additional gas pressure spring	Rigid (welded) frame	Frame arches for closed frame
<input type="checkbox"/> Child-proof lock for tilting mechanism. <b>Recommended for very active children</b>	<input type="checkbox"/> Necessary from a user weight > 75 kg or from seat width 42.  <b>Possible from frame width 36</b>	<input type="checkbox"/> for increased Torsional stiffness  <b>Frame does not grow with the width.</b>	<input type="checkbox"/> Frame arches for a closed frame. The frame arches will be coated in the frame color.  <b>Increases the stability of the frame</b>
N° 1940      63,- €	N° 192501      398,- €	N° 597695      419,- €	N° 597699      CPD 375,- €

## Frame colors and color anodization Design package


Finish alternatives	Moderate metallic effect	Not metallic	Special colors (without additional charge, except for Nightblue)
<input type="checkbox"/> Shiny  <b>incl.</b>  <input type="checkbox"/> Matt <b>Not possible with special colors!</b> N° 1561      90,- €	<input type="checkbox"/> Cream white (17) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Zinc yellow (02) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Chrome yellow (06) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Goblin Green (33) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Titan Grey (34) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> King's Blue (32) <input type="checkbox"/> Pastel Blue (20)	<input type="checkbox"/> Black (31)	<b>strong metallic effect:</b> <input type="checkbox"/> Silver metallic (36)  <b>Coarse structured surface:</b> <input type="checkbox"/> Coarse Black (27)  <b>Dormant colors:</b> <input type="checkbox"/> Firered Dormant (45) <input type="checkbox"/> Violet Dormant (50)  <b>Dormant color with additional charge AC 90,-€</b> <input type="checkbox"/> Nightblue Dorm. (47)
Design package color anodization (Color examples for anodized colors can be found on our website in the area equipment)			
<input type="checkbox"/> anodized Blue (01) <input type="checkbox"/> anodized Red (02) <input type="checkbox"/> anodized Green (03) <input type="checkbox"/> anodized Gold Orange (04) <input type="checkbox"/> anodized Violet (05)	The following parts are anodized: Assembly group caster (fork, caps, adapter, half shells, wheel spacer), profile pipe support for push bow, hand rims  <b>The design package ist only possible in the listed setting.</b>		<b>Restrictions:</b> The hand rims are only available in the design package anodized colors by choosing aluminum hand rims. (not possible with stainless steel, Maxgrepp, PVC, double or nob hand rims. Also not possible with wheels with profile handrims) Profile pipe support is only available in the design package anodized by choosing push bow.
N° 1573..      CPD 295,- €			

## Example **STANDARD** back system



## Example **ERGO** backsystem

„The offered ERGO system for Loop BS allows an effective positioning in the pelvis and back area. The resulting sitting stability and support enable a physiologically relaxed posture. The ERGO system combines an ergonomic back support with integrated body support and a functional, stable seat with extended side support.“



## Two different equipment variants:

The variants can NOT be combined with each other



### the STANDARD back system



or

### the ERGO system

Back height standard (+ 5 cm extension each)	
N° 12 .. 3:	<input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 <input type="checkbox"/> 50

Curved back plate Model 1	Curved back plate Model 3	Back extension for curved back plate
Curved back plate, BH+2 cm; cavity: <input type="checkbox"/> 15 mm (..015) <input type="checkbox"/> 30 mm (..030) <input type="checkbox"/> 50 mm (..050)	Curved back plate, BH+5 cm; cavity: <input type="checkbox"/> 15 mm (..315) <input type="checkbox"/> 30 mm (..330) <input type="checkbox"/> 50 mm (..350)	<input type="checkbox"/> Back extension up to 17.5 cm, retractable, with detachable pad for head; weight reduction in comparison to a head rest approx. 1000 g <b>Only in combination with curved back plate.</b> <b>Not possible with head rest (N° 6861..).</b> <b>Not approved as a headrest for motor vehicle transport.</b>
N° 693... 315,- €	BH+10 cm; cavity: <input type="checkbox"/> 15 mm (..415) <input type="checkbox"/> 30 mm (..430) <input type="checkbox"/> 50 mm (..450)	N° 686069 299,- €
Curved back pl. Model 2		Restrictions back extension
Curved back plate, BH+10 cm; cavity: <input type="checkbox"/> 15 mm (..115) <input type="checkbox"/> 30 mm (..130) <input type="checkbox"/> 50 mm (..150)		<b>Model 1:</b> only from BH 35 cm <b>Model 2:</b> Not possible <b>Model 3:</b> only from BH30 with BH+5cm
BH+20 cm; cavity: <input type="checkbox"/> 15 mm (..215) <input type="checkbox"/> 30 mm (..230) <input type="checkbox"/> 50 mm (..250)		
N° 693... 399,- €	N° 693... 399,- €	

Back cover	Fitting set	Connection
<b>adjustable</b> <input type="checkbox"/> <b>Adjustable cover</b> with strap system, <b>incl. back cushion</b> (thickness 2 cm) <b>Choice of cover color on page 4</b>	<b>for solid back</b> <input type="checkbox"/> one set of clamps, required for mounting a solid back that is manufactured by the trade specialist	<b>for back shell</b> <input type="checkbox"/> Back shell connection, black, can be clamped to the stabilizer bar
N° 6701.. 230,- €	N° 692598 160,- €	88,- €

Back cushion		
WITHOUT back cushion	Standard cushion for Curved back plate	Additional cover
<input type="checkbox"/> <b>No back cushion</b> (please tick if no cushion is required)	<input type="checkbox"/> Standard cushion <b>for curved back plate</b> , 3 cm thick, with zipper, breathable cover <b>Selection cover color on page 4</b>	<input type="checkbox"/> Additional cover for <b>Standard cushion</b> (as chosen left)
N° 8517 165,- €	N° 8501 85,- €	

Side guards standard	
Side guards standard	Side guards with guidance
<input type="checkbox"/> screwed aluminum side guards	<input type="checkbox"/> screwed aluminum side guards with thigh guidance
N° 4527 196,- €/P	N° 4528 216,- €/P

Back height ERGO (+ 5 cm extension each)	
N° 12 .. 3:	<input type="checkbox"/> 40 <input type="checkbox"/> 45 <input type="checkbox"/> 50 <input type="checkbox"/> 55 <input type="checkbox"/> 60

ERGO back	ERGO back cushion
<input type="checkbox"/> <b>3-parted solid back unit for ERGO-System, growable in width.</b> <i>without cushion</i>	<input type="checkbox"/> Anatomically shaped back cushion for ERGO back (in the middle about 3 cm thick), with lateral support and slight lumbar support. <b>incl. cover, choose cover color on page 4</b>
N° 698000 510,- €	N° 891200 CPD 740,- €
Cover ERGO back cushion	
<input type="checkbox"/> <b>ADDITIONAL</b> cover for ERGO back cushion	<input type="checkbox"/> <b>WITHOUT</b> cover for ERGO back cushion
N° 891201 230,- €	N° 998912 ./ 120,- €

Side guards for ERGO system	
ERGO side guards	Interior upholstery
<input type="checkbox"/> Aluminum side guards with high thigh guidance <b>suitable for interior upholstery and mounting knee guidance</b>	<input type="checkbox"/> for Ergo side guards with 2 cm thickness <b>Choosing side upholstery reduces the selected seat width by 5 cm</b> <b>Recommended with anatomical cushion N° 891002</b> <b>Choice of cover color on page 4</b>
N° 4529 266,- €/P	N° 452905 CPD 169,- €/P
Knee guidance	Upholstery f. knee guidance
<input type="checkbox"/> or ERGO side guard, screwed aluminum knee guidance	<input type="checkbox"/> Upholstery for knee guidance, cover color like interior upholstery ERGO side guards. <b>Recommended with interior upholstery ERGO side guards N° 452905</b>
N° 452909 120,- €/P	N° 452910 120,- €/P

Raw delivery	
Raw delivery	Subsequent coating
<input type="checkbox"/> <b>of the following components (if selected):</b> ERGO back, ERGO side guards, ERGO knee guidance holder.	<input type="checkbox"/> <b>in chosen frame color.</b> Components (if selected): ERGO back, ERGO side guards, ERGO knee guidance holder.
N° 999950 0,- €	N° 999915 220,- €



## Back angle adjustment

### through raster

☐ Mechanically adjustable through raster from 90°-120°, completely stowable, incl. stabilizer bar

**Attention! Anti-tipper and push bow required (danger of tipping!)**

N° 6124

0,- €

### through gas pressure spring

☐ Steplessly adjustable in angle through gas pressure spring from 90°-117°, incl. stabilizer bar.

*Only possible from BH 35cm.*

**Attention! Anti-tipper required (danger of tipping!).**

*Restrictions in the angle of the bracket are possible depending on the seat height, see page 4.*

N° 6180

519,- €

## Seat system

### Seat plate

☒ Firm aluminum seat plate for optimized support of pelvic, firmly bolted




N° 1933

0,- €

### Seat extension

☐ Seat depth extension (1 - 3 cm)



N° 193301

116,- €

## Arm rest

### Arm pad 240x50 mm

☐ Armrests, with height and angle adjustable arm pads 240 x 50 mm, PU



N° 453200

260,- €/P

### Arm pad 260x80 mm

☐ Armrests, with height, angle and depth adjustable arm pads 260 x 80 mm, PU

(Arm pads are adjustable in depth by +90 mm)



N° 453302

310,- €/P

## Seat cushion (all covers with zippers and changeable)

☐ **No seat cushion** (please tick if no cushion is required)

Synthetic foam for firm and comfortable seating  
☐ 3 cm (...03)  
☐ 5 cm (...05)

N° 80..

105,- €

☐ Anatomically formed, with slight abduction, changeable cover, thickness of cushion measured at slightest point: front 5 cm, back 3 cm  
**Customized product**

N° 891002

CPD 489,- €

☐ **Additional cover** for cushion as chosen on the right

Pressure relief cushion for medium-soft seating  
☐ 3 cm (...03)  
☐ 5 cm (...05)

N° 81..

135,- €

☐ **Additional cover** for anatomical cushion as configured  
**Customized product**

N° 891003

CPD 186,- €

☐ **Cushion without cover**  
Seat cushion as chosen, without cover

N° 998001

./ 30,- €

☐ **Incontinence cover**  
For **standard cushion** as chosen on the left

N° 86..

105,- €

☐ For **anatomical cushion** as chosen on the left

N° 891004

CPD 186,- €

## Choice of Trevira cover color Note: Color views may differ from reality depending on the screen view / printout and are only for initial orientation.

Please choose the color of the selected covers:

☐ black (30)

☐ grey (31)

☐ nightblue (32)

☐ ultramarine blue (33)

☐ petrol (34)

☐ applegreen (35)

☐ burgundy (36)

☐ red (37)

☐ pink (38)



N° 80.. (seat cushion/anat. cushion) /

N° 85.. (back cushion/anat. back cushion) /

N° 4582.. (side upholstery)

## Push bow

### Extendable push bow

☐ Extendable push bow, extendable by 20 cm, adjustable in angle 307°

made of metal



N° 653101

0,- €

## Brakes

### Knee lever brake

☐ **Standard**

N° 3525

0,- €

☐ **lockable in activated or deactivated position**

A latch is used to lock the brake standing still or while driving.

N° 3513

190,- €/P

☐ **Pull to lock**

In contrast to the standard knee lever brake, the pull to lock knee lever brake is operated by pulling.

N° 3529

70,- €/P

### Drum brake

☐ **for standard-, profile handrim or lightweight wheels** (N° 21..30/31/81), incl. brake lever for attendant

N° 220036

325,- €

**Single-hand brake<sup>1</sup>**  
Knee lever brake with single hand control

**Mounting**

☐ left (...01)

☐ right (...02)

N° 3509..

336,- €

### Brake lever extension

straight, 6 cm long

☐ with cover

N° 3510

58,- €/P

straight, 6 cm long

☐ with ball knob

☐ with golf ball knob

N° 3512


68,- €/P

## Specification of lower leg length (LLL) / Cushion thickness / Distance


Specify:  
**Lower leg length (LLL)**



Specify:  
**Cushion thickness**



Result: **Wheelchair dimensions** Distance upper edge of the seat and the upper edge of the footplate - Cushion thickness



All measurements in cm

### Lower leg length:

Specification of the distance in cm between the hollow of the knee and the sole of the foot at a 90° knee position angle

### Thickness seat cushion:

Indication of the thickness of the planned seat cushion

### Wheelchair Dimensions:

Distance from the upper edge of the seat to the upper edge of the footrest in cm (without taking into account the thickness of the seat cushion). From your information regarding the lower leg length and thickness of the seat cushion, we calculate the distance from the top edge of the seat to the top edge of the footrest and mount this on the leg support you have chosen.

### Example:

**Your information:** LLL = 38 cm, seat cushion thickness = 5 cm

**Manufacturer assembly:** In this example, SORG mounts the footrest at a distance of 33 cm from the footrest.

## Leg support foot plate depth 150 mm and 230 mm

### Standard foot plate undivided

Undivided foot plate, foldable backwards, rigid knee angle at 90°



Possible distance top edge seat to top edge footplate: 13-49 cm

Article name	Article-N°	Price
<input type="checkbox"/> Foot plate depth 150mm	N° 405501	0,- €
<input type="checkbox"/> Foot plate depth 230mm	N° 405502	50,- €

### Adjustable in angle foot plate undivided

Undivided foot plate, foldable backwards, knee angle adjustable from 80-180°



Possible distance top edge seat to top edge footplate: 12-50 cm

Article name	Article-N°	Price
<input type="checkbox"/> Foot plate depth 150mm	N° 405503	80,- €
<input type="checkbox"/> Foot plate depth 230mm	N° 405504	130,- €

### Adjustable in angle foot plate divided

Divided foot plates, foldable backwards, knee angle adjustable from 80-180°




Possible distance top edge seat to top edge footplate: 12-50 cm

Article name	Article-N°	Price
<input type="checkbox"/> Foot plate depth 150mm	N° 405530	120,- €
<input type="checkbox"/> Foot plate depth 230mm	N° 405531	170,- €

### Width adjustable foot plate Width adjustable by up to 80 mm (depending on model and configuration)

#### Surcharge item for the above mentioned legrests.

- ☐ Continuous foot plate, depth 230 mm, Offers the option of setting the maximum usable width individually.
- Only in combination with N° 405502 and 405504
- Not in combination with heel edge



N° 405514

AC 165,- €

## Leg support swiveling outwards and removable, foot plate depth 150 mm (from seat depth 40 cm)

### Undivided

☐ with undivided foot plate, foldable sideways, leg support completely removable, swiveling outwards and adjustable in width.

Possible distance top edge seat to top edge footplate: 26-45 cm



N° 405507

165,- €

### Divided

☐ with divided foot plates, foldable sideways, leg support completely removable, swiveling outwards and adjustable in width.

Possible distance top edge seat to top edge footplate: 26-45 cm



N° 405540

250,- €

### Articulating

☐ with divided foot plates, Swivelling and detachable with physiological pivotal point, hinged upwards from 93° to 180°, swiveling outwards and adjustable in width. Possible distance top edge seat plate to top edge footplate: 17-42 cm



N° 405505

310,- €

All removable leg supports can be adjusted in width and are possible from a seat depth of 40 cm.

Not possible in combination with „Frame arches for closed frame“.

## Leg Support Genex

### Dynamic Leg support

☐ Special spring mechanism to soothe spasticity or leg tone in all dimensions, foot plate hinged upwards. Knee angle resilient forward and backward.

Possible from SD 40cm

Possible distance top edge seat to top edge footplate: 26-41 cm.



N° 4053

CPD 719,- €

Not in combination with N° 4009 / N° 405509

## Leg support options

### Locking at 90°

☐ for all leg supports with foldable foot plate/s

N° 4009

64,- €

☐ for leg support (N° 405507) only

N° 403910

80,- €

### Heel edge

☐ for all leg supports with foldable foot plate/s

N° 405509

69,- €

### Heel cups

Heel cups, aluminum black for mounting on foot plate

- ☐ size 1 12,5 x 8 cm (...31)
- ☐ size 2 14,5 x 10 cm (...32)
- ☐ size 3 16,5 x 12 cm (...33)

N° 4020..

78,- €/P

### Belts for heel cups

☐ Matching belts to the selected heel cups (N° 4020..)

N° 402015

108,- €/P

### Calf rest (with holder)

for the angle-adjustable leg support N° 405530/31

Mounting:

- ☐ left
- ☐ right
- ☐ pair (2 pcs.)

It is recommended to choose the footplate depth 230 mm.

N° 403005

147,- €/Pcs.

for the leg supports N° 405505/06

Mounting:

- ☐ left
- ☐ right
- ☐ pair (2 pcs.)


Possible distance top edge seat to top edge footplate: from 20cm

N° 403006


147,- €/Pcs.


<sup>1</sup> Single hand brake not possible in combination with outwards swiveling leg support.



Seat height		Please choose your seat height													
		Seat heights (in cm)													
Rear wheel	Seat depth	41	43,5	46	48	48,5	50	50,5	51	52,5	53	53,5	55	55,5	
12" Solid			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>										
12" Pneumatic				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>								
16"				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>								
20"	SD 30-40	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>								
	SD 42-48		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>							
22"	SD 30-40		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>					
	SD 42-48			<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>				
24"	SD 30-40			<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		
	SD 42-48					<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>	
possible caster wheel sizes		5"	5"-5,5"	5"-6"	5"-7"	5"-7"	5"-7"	5"-7"	5"-7"	6"-7"	6"-7"	6"-7"	7"	7"	


 = Recommended because there is no conflict (reduced angle of tilting) between armrests and wheel cover.


 = Not possible.







 Not in combination with back angle adjustment by gas pressure spring (Article-N° 6180), but there is no conflict between armrests and wheel cover.

 = Possible, but due to conflict armrests / wheel cover the entire tilting angle is not available.

Wheel size and wheel camber			Wheel cover for rear wheels			
Wheel size	Camber		Long	Short		
Size in inches:	Camber <input type="checkbox"/> 2° (Standard)		<input type="checkbox"/> Wheel cover long for 20", 22" und 24"	<input type="checkbox"/> Wheel cover short for 16", 20", 22" und 24"		
<input type="checkbox"/> 20"		0,- €				
<input type="checkbox"/> 22"						
<input type="checkbox"/> 24"	Adapter for camber 0° <input type="checkbox"/> 0°					
0,- €	N° 201515	AC 79,- €	N° 5210	220,- €/P	N° 5211	180,- €/P









Rear wheels 20" - 24"				
Rear wheel Standard	Rear wheel with Profile handrim	Lightweight wheel with standard hub	Lightweight wheel with drum brake hub	
<input type="checkbox"/> All-round wheel, silver  <b>Additional weight of approx. 500g/ wheel compared to lightweight wheels</b>	<input type="checkbox"/> Standard wheel, silver, with closed, rubberized, black profile handrim. Unity of rim and handrim, reduces the risk of injury to the fingers.  <b>Additional weight compared to lightweight wheels: approx. 1400g per pair.</b> <b>Additional weight compared to standard wheels: approx. 900g per pair.</b> 	<input type="checkbox"/> <b>with standard hub</b> , very lightweight, incl. black aluminum handrim  <b>Weight reduction of approx. 500g/ pair compared to standard wheels</b>  <b>The standard hub is incompatible with the drum brake (N° 220036)!</b>	<input type="checkbox"/> <b>with drum brake hub</b> , incl. black aluminum handrims <b>Only in combination with drum brake (N° 220036, mind additional charge)</b>  <b>Weight reduction up to 1.2 kg/pair compared to standard drum brake wheels</b> <b>Package price for lightweight wheels incl. drum brakes and brake lever for attendant 455,- €/pair.</b>	
N° 21..30 0,- €	N° 21..32 96,- €/P	N° 21..76 160,- €/P	N° 21..81 130,- €/P	


Rear wheels 12" and 16" (instead of drive wheels, spoke guard not possible)				
12"-wheels (Solid tires)	12"-wheels (Pneumatic tires)	16"-wheels (only available with drum brake hub)		
<input type="checkbox"/> 12"-wheels with <b>solid</b> tires and <b>standard hub</b>	<input type="checkbox"/> 12"-wheels with <b>pneumatic</b> tires and <b>standard hub</b>	<input type="checkbox"/> 16"-wheels with <b>solid</b> tires and <b>drum brake hub</b>	<input type="checkbox"/> 16"-wheels with <b>pneumatic</b> tires and <b>drum brake hub</b>	
N° 211240 0,- €	N° 211200 0,- €			
<input type="checkbox"/> 12"-wheels with <b>solid</b> tires and <b>drum brake hub</b>	<input type="checkbox"/> 12"-wheels with <b>pneumatic</b> tires and <b>drum brake hub</b>			
N° 221240 0,- €	N° 221200 0,- €	N° 221640 88,- €/P	N° 221600 88,- €/P	Similar pictures

Tyres				
Title		Item-N°	Price	
<input type="checkbox"/> Pneumatic Standard „Right Run“ 1"		N° 20..13	0,- €	
<input type="checkbox"/> Pneumatic Standard 1 3/8"		N° 20..21	0,- €	
<input type="checkbox"/> Pneumatic Performance „Marathon Plus“ 1" Only for 22" und 24" wheels		N° 20..12	74,- € / P	
<input type="checkbox"/> Solid standard tyres 1"		N° 23..11	0,- €	
<input type="checkbox"/> Solid standard tyres 1 3/8"		N° 23..21	0,- €	
1 3/8" tyres not possible with lightweight wheels and 26" wheels!				




## Hand rims (Not for wheels with profile handrims)

Standard hand rim (Please choose type of installation AND material)				Mounting very closely to rim
<b>Mounting type:</b> <input type="checkbox"/> Standard / tight <input type="checkbox"/> Standard / wide <input type="checkbox"/> High / tight <input type="checkbox"/> High / wide <b>Not possible on lightweight wheels with drum brakes.</b>		 Hand rim assembly Standard / tight  Hand rim assembly Standard / wide  Hand rim assembly High / tight  Hand rim assembly High / wide		<input type="checkbox"/> Handrims mounted very closely to rim, reduces the risk of finger injuries  <b>Only for standard wheels and in aluminum</b>
<b>Material:</b> <input type="checkbox"/> Stainless steel (..01) <input type="checkbox"/> Alu, silver anodized (..75)		<b>N° 30..</b> <b>0,- €</b>		<b>N° 3015</b> <b>CPD 142,-€</b>
PVC	Ergonomic	Maxgrepp ORIGINAL	Maxgrepp ERGO-PARA	Design hand rim
<input type="checkbox"/> Hand rim coated with black PVC, (Tetra Grip) 	<input type="checkbox"/> Hand rim with ergonomic hand rim profile, black anodized with integrated rubber grip <b>Only for 24"</b> 	<input type="checkbox"/> Hand rims with a soft foam rubber coating. <i>Suitable for quadriplegics and wheelchair users with weakened hand function.</i> 	<input type="checkbox"/> Hand rims for pushing with heel of the hand (soft surface), 	<input type="checkbox"/> Aluminum hand rims coated in frame color  color number: _____ <b>The color numbers can be found next to the frame colors on page 1.</b> <b>Without specifying a color number, the selected frame color is used for coating.</b> <b>Anodized colors only possible in the design package.</b>
<b>N° 33..</b> <b>368,- €/P</b>	<b>N° 342424</b> <b>420,- €/P</b>	<b>N° 341501..</b> <b>460,- €/P</b>	<b>N° 34..</b> <b>490,- €/P</b>	<b>N° 303000</b> <b>TD 70,-€/P</b>






Double handrim				
<b>with drum brake hub</b> Mounting <input type="checkbox"/> left <input type="checkbox"/> right	<b>with standard hub</b> Mounting <input type="checkbox"/> left <input type="checkbox"/> right	<input type="checkbox"/> handrim for opposite side	<b>Distance of double handrim</b> <input type="checkbox"/> standard 18mm (..11) <input type="checkbox"/> tight 9mm (..12)  <b>Distance tight: Not in combination with hand rim cover or coated hand rim</b>	
<b>N° 2615</b> <b>1.199,- €</b>	<b>N° 2614</b> <b>1099,- €</b>	<b>N° 261435</b> <b>153,- €</b>	<b>N° 26..</b> <b>0,- €</b>	

## Hand rim options

Silicone cover for STANDARD hand rim	Silicone cover for DOUBLE hand rim	PVC cover for double hand rim
Detachable silicone cover, black (soft surface), <input type="checkbox"/> for standard wheel (..20-24) <input type="checkbox"/> for lightweight wheel (..05) 	Detachable silicone cover, black <input type="checkbox"/> for inside rim <input type="checkbox"/> for outside rim <input type="checkbox"/> for opposing side  <b>Not in combination with double handrim distance tight N° 2612</b>	<input type="checkbox"/> Handrim coating for double handrim, both handrims (inside and outside), coated with black PVC  <b>N° 262402</b> <b>355,- €</b>  <input type="checkbox"/> Handrim coating for opposing side of the double handrim, coated with black PVC  <b>N° 262401</b> <b>195,- €</b>
<b>N° 32..</b> <b>156,- €/P</b>	<b>N° 3205</b> <b>78,- €/Pcs</b>	




Spoke cover	Design spoke covers Only for wheelsize 20"-24"	
Transparent	Design spoke covers	Please specify the desired model of the corresponding manufacturer:
<input type="checkbox"/> transparent (..00)  <b>Only for wheelsize 20"-24"</b>	<input type="checkbox"/> <a href="http://www.speichen-schutz.de">www.speichen-schutz.de</a> _____	<input type="checkbox"/> <a href="http://www.wheelchairgadgets.com">www.wheelchairgadgets.com</a> _____
<b>N° 25..</b> <b>172,- €/P</b>	<b>N° 25..26</b> <b>TD 180,- €</b>	<b>N° 25..27</b> <b>TD 180,- €</b>

## Caster wheels


Standard PU	Standard solid rubber	Standard pneumatic	Design PU	Design solid rubber
Polyurethan: <input type="checkbox"/> 5" (2805) <input type="checkbox"/> 6" (2803)	Solid rubber: <input type="checkbox"/> 5" (2809) <input type="checkbox"/> 5.5" (2802) <input type="checkbox"/> 6" (2811) <input type="checkbox"/> 7" (2813)	Pneumatic, grey: <input type="checkbox"/> 6" (2808) <input type="checkbox"/> 7" (2807)	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 5" (2834)	Solid rubber black, with alu rim <input type="checkbox"/> 5" (2836) <input type="checkbox"/> 6" (2838)
				
0,- €	0,- €	0,- €	0,- €	0,- €

Caster forks		Caster wheels options		Hemi-Adapter
Standard aluminum	Design aluminum	Track fixation	Locking	for lower seat heights
<input type="checkbox"/> Alu fork, black anodized	<input type="checkbox"/> Aluminum fork coated in frame color color N°: _____ The color numbers can be found next to the frame colors on page 1. Without specifying a color number, the selected frame color is used for coating. Anodized colors are only possible in the design package.	<input type="checkbox"/> Caster wheel track fixation (straight)	<input type="checkbox"/> Locking mechanism for track fixation	<input type="checkbox"/> Reduction of the seat height by 2.5 cm  <i>Not in combination with outdoor front end</i>  <i>Not in combination with 24" wheels</i>
N° 2826 0,- €	N° 2829 TD 70,- €/P	N° 2851 166,- €/P	N° 2850 208,- €/P	N° 280540 140,- €/P



## Frame options

Anti-tipper	Outdoor Front End	Splash guard	Step tube
Swing-away installation Mounting <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> pair	<input type="checkbox"/> Outdoor Front End, adjustable in width and length, facilitates significantly active and passive driving on soft or rough surfaces, incl. mounting aid	<input type="checkbox"/> Splash guard for Outdoor Front End, made of plastic	Mounting <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> pair
			
N° 7215 139,- €/Pcs	N° 599520 CPD 479,- €	N° 59951212 CPD 85,- €	N° 7400 74,- €/Pcs
			<b>Wheel base extension</b>
			<input type="checkbox"/> Wheel base extension 9,5cm
			N° 7676 274,- €

## Sun shade




 Removable sun shade. Easily adjustable in height and position by flexible holder.	<input type="checkbox"/> Size 1 (only up to SW38) variably adjustable sun shade, in black <b>Usable height (from the top edge of the seat plate/seat cover to the apex) = selected back height + 45 cm</b> Example: BH 30 + 40 cm = 70 cm	<input type="checkbox"/> Size 2 (just from SW40) variably adjustable sun shade, in black <b>Usable height (from the top edge of the seat plate/seat cover to the apex) = selected back height + 60 cm</b> Example: BH 30 + 55 cm = 85 cm	<input type="checkbox"/> Extension set Increasing the usable amount of the Sun shade by 14 cm.
	N° 910301 TD 250,- €	N° 910302 TD 290,- €	N° 910305 TD 58,- € / Set







## Therapy tables

Article name	Article-N°	Price	Variation examples
<b>Mounting Variation 1:</b> hinged sideways, adjustable in height and distance At variation 1 please select the mounting side: <input type="checkbox"/> left <input type="checkbox"/> right			
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 1 <b>Sz. 1</b> (45 x 36 cm)	N° 920410	<b>325,- €</b>	
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 1 <b>Sz. 2</b> (59 x 45 cm)	N° 920411	<b>340,- €</b>	
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 1 <b>Sz. 3</b> (70 x 50 cm)	N° 920412	<b>370,- €</b>	
<input type="checkbox"/> Therapy table beech wood, Variation 1 <b>Sz. 2</b> (50 x 40 cm)	N° 920413	<b>340,- €</b>	
<input type="checkbox"/> Therapy table beech wood, Variation 1 <b>Sz. 2</b> (60 x 50 cm)	N° 920414	<b>380,- €</b>	
<b>Mounting Variation 2:</b> adjustable in height and distance, plugged under arm rests on both sides. <b>Arm pads required</b>			
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 2 <b>Sz. 1</b> (45 x 36 cm)	N° 920710	<b>325,- €</b>	
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 2 <b>Sz. 2</b> (59 x 45 cm)	N° 920711	<b>340,- €</b>	
<input type="checkbox"/> Therapy table, acrylic glass, transparent, Variation 2 <b>Sz. 3</b> (70 x 50 cm)	N° 920712	<b>370,- €</b>	
<input type="checkbox"/> Therapy table beech wood, Variation 2 <b>Sz. 2</b> (50 x 40 cm)	N° 920713	<b>340,- €</b>	
<input type="checkbox"/> Therapy table beech wood, Variation 2 <b>Sz. 2</b> (60 x 50 cm)	N° 920714	<b>380,- €</b>	












## Standard head rests Measures in mm (all measures ± 10mm)

Article name	Article-N°	Price
<input type="checkbox"/> Standard head rest model 1 (shell-shaped small) including connection to stabilizer bar	1 N° 686021	315,- €
<input type="checkbox"/> Standard head rest model 3 (curved small) including connection to stabilizer bar	2 N° 686023	315,- €
<input type="checkbox"/> Standard head rest model 4 (curved large) including connection to stabilizer bar	3 N° 686024	315,- €
<input type="checkbox"/> Headrest cover, washable and changeable made of Trevira fabric <b>Please specify a color and the two-digit color number</b> <b>(see page 3 at color choice of upholstery fabrics Trevira.</b> <b>If no color is specified, the color of the seat / back cushions is used.</b> Color and Color number:	Example:  Rear view  Front view N° 686050	89,- €
<input type="checkbox"/> Head rest holder for mounting on stabilizer bar for example for mounting headrests from other manufacturers <b>Only select for non-SORG headrest</b>	 N° 68600890	39,- €

<b>1 Model 1</b>  	<b>2 Model 3</b>  	<b>3 Model 4</b>  
---	---	--

## Lateral support (from back height 30 with extendable push handles, from back height 35 with standard push handles)

Article name		Article-N°	Price
<b>Pad for pad holder Size 1</b>			
<input type="checkbox"/> Pad <b>10 x 7 cm</b> (incl. cover)	 10x7cm  10x9cm  12x9cm	N° 68590104	<b>CPD 116,- €/P</b>
<input type="checkbox"/> Pad <b>10 x 9 cm</b> (incl. cover)		N° 68590105	<b>CPD 116,- €/P</b>
<input type="checkbox"/> Pad <b>12 x 9 cm</b> (incl. cover)		N° 68590106	<b>CPD 116,- €/P</b>
<b>Pad for pad holder Size 2</b>			
<input type="checkbox"/> Pad <b>12 x 9 cm</b> (incl. cover)	 12x9cm  15x10cm  18x13cm	N° 68590206	<b>CPD 116,- €/P</b>
<input type="checkbox"/> Pad <b>15 x 10 cm</b> (incl. cover)		N° 68590204	<b>CPD 116,- €/P</b>
<input type="checkbox"/> Pad <b>18 x 13 cm</b> (incl. cover)		N° 68590205	<b>CPD 116,- €/P</b>
<b>Lateral support holder, ADJUSTABLE</b>			
<input type="checkbox"/> Adjustable holder for lateral support, <b>incl. linkage and protective cover</b> <b>Without pads</b> <b>Length difference of the holder size 1 to size 2 is about 4.5 cm</b>		N° 68590200	<b>CPD 420,- €/P</b>
<input type="checkbox"/> Extension joint for foldable pad holder Extension for: Holder Size 1 (3,8cm) Holder Size 2 (5,5cm) <b>Necessary at ERGO system</b>		N° 68590115	<b>CPD 124,- €/P</b>
<b>Lateral support holder, FIX</b>			
<input type="checkbox"/> Screwed lateral support holder, <b>incl. linkage</b> <b>Without Pads</b> <b>Length difference of the holder Size 1 to size 2 is about 4.5cm</b> <b>Only in combination with ERGO-System</b> <b>Adjustable in height</b>		N° 68591000	<b>CPD 124,- €/P</b>



## Positioning belts

Article name	Article-N°	Price
<input type="checkbox"/> 2-Point pelvic belt with PLASTIC fastener, incl. mounting material for self attachment	1 N° 780590	140,- €
<input type="checkbox"/> 2-Point pelvic belt with METAL fastener, incl. mounting material for self attachment	2 N° 780591	155,- €
<input type="checkbox"/> 4-Point pelvic belt with PLASTIC fastener, incl. mounting material for self attachment	3 N° 780592	180,- €
<input type="checkbox"/> 4-Point pelvic belt with METAL fastener, incl. mounting material for self attachment	4 N° 780593	195,- €
<input type="checkbox"/> Protection cap for pelvic belt with metal fastener (see N° 780591 oder N° 780593) <b>Makes independent opening for the patient difficult.</b>	5 N° 78050210	19,- €
<input type="checkbox"/> Chest-shoulder belt without zipper, incl. mounting material for self attachment	6 N° 781010	199,- €

2-point pelvic belt plastic fastener 1	2-point pelvic belt metal fastener 2	4-point pelvic belt plastic fastener 3	4-point pelvic belt metal fastener 4	Application example 5	Chest-shoulder belt 6
--	--------------------------------------	--	--------------------------------------	-----------------------	-----------------------

## Belt holder

Upper belt holder	Lower belt holder
<input type="checkbox"/> for attaching positioning belts, incl. connection for square tube  <b>A headrest with a square tube is required to install the belt holder</b>	<input type="checkbox"/> for the attachment of 2-point/4-point and/or chest-shoulder belts.
	
N° 780130	N° 782000
95,- €	59,- €

## Abduction wedges

Article name	Article-N°	Price
<input type="checkbox"/> abduction wedge, incl. holder and pad, <b>Size S</b>	N° 1952	209,- €
<input type="checkbox"/> abduction wedge, incl. holder and pad, <b>Size M</b>	N° 1953	209,- €
<input type="checkbox"/> abduction wedge, incl. holder and pad, <b>Size L</b>	N° 1954	209,- €
<input type="checkbox"/> Holder for abduction wedge (without pad)	N° 1951	165,- €

Size	Length (L) (mm)	Width (B) (mm)	Height (H) (mm)
S	94	65	90
M	110	82	95
L	125	90	100

Dimensions ± 5%


## Foot fixation

Article name	Article-N°	Price
<input type="checkbox"/> with Velcro/fleece fastener and guide roller, <b>Size 1</b>	N° 781201	199,- €
<input type="checkbox"/> with Velcro/fleece fastener and guide roller, <b>Size 2</b>	N° 781202	199,- €
<input type="checkbox"/> with Velcro/fleece fastener and guide roller, <b>Size 4</b>	N° 781203	199,- €

Size	Length L
1	15-20 cm
2	19-23 cm
4	24-28 cm

## Transport brackets

Compatibility with electrical drive systems or Outdoor-Front-End	Transport brackets
<b>Please tick appropriate box if number N° 58507105 was selected</b> (Without ticking an appropriate box, delivery will be without compatibility to Outdoor-Front-End):  <input type="checkbox"/> Outdoor-Front-End (restraint brackets at the front) <input type="checkbox"/> Neither	<input type="checkbox"/> Transport brackets (4 pieces) for transportation in a handicapped accessible passenger car
Restraint brackets must be replaced by a subsequent fitting of an Outdoor-Front-End	
	N° 58507610
	CPD 380,-€

## Electric drives and systems

Recommendations	Provider	Information
1. For all possible drives and systems we recommend casters of 6" or higher. 2. Please regard the respective <b>mounting possibilities and specifications</b> given on the home-pages indicated on the right	for example <a href="http://www.aat-online.de">www.aat-online.de</a> or <a href="http://www.alber.de">www.alber.de</a>	Restrictions and adjustments to the installation and the final configuration of the wheelchair are the responsibility of the providers of the additional systems.

## **External dimensions Loop<sup>SORG</sup> RS:**

All measurements +-5%

Overall width = Seat width (SW) + 28 cm, with drumbrake

Attention: Attaching the restraint system increases the overall width by 2 cm

Overall length = 87 cm up to max. 107 cm

(depending on the size and position of the drive wheel and the type of leg supports)

Notes:



## Terms and conditions

### 1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved of by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.  
(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.  
(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.  
(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

### 2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

### 3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

### 4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.  
(2) If a 30-day payment deadline is exceeded, a delay rate of 9% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

### 5. Offers and Validity

All current price lists are generally valid until December 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

### 6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

### 7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.  
(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

### 8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client.  
In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery Angelieferte Gegenstände sind, auch wenn sie unwesentliche Mängel Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

### 10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if §433.paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

### 11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months as long as the purchaser is not the user (§§ 474, 13 BGB). Should the purchaser be the user then the warranty period is two years for new goods, for used goods 12 months. Should the purchaser also be an entrepreneur, then the liability for used items is void, as long as there is no claim for compensation according to N° 12.  
(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser

is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is defective, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.  
(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

### 12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.  
(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

### 13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

### 14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

### 15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

### 16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

### 17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.  
(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: January 2017

SORG Rollstuhltechnik GmbH + Co. KG  
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen / Germany  
Phone +49 7254 / 9279-0  
Fax +49 7254 / 9279-10  
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de